NAVAL POSTGRADUATE SCHOOL

Monterey, Galifornia



THESIS

RADIO DIRECTION FINDING ON HIGH FREQUENCY SHORT DURATION SIGNALS

by

Dennis Dean Sheppard

June 1980

Thesis Advisor:

S. Jauregui

Approved for public release; distribution unlimited

REPORT DOCUMENTATION	READ INSTRUCTIONS BEFORE COMPLETING FORM		
REPORT NUMBER	2. GOVT ACCESSION NO.	3. RECIPIENT'S CATALOG NUMBER	
Radio Direction Finding on High Free Short Duration Signals	equency	Engineer's Thesis; June 1980 PERFORMING ORG. REPORT NUMBER	
Dennis Dean Sheppard	8. CONTRACT OR GRANT NUMBER(8)		
PERFORMING ORGANIZATION NAME AND ADDRESS Naval Postgraduate School Monterey, California 93940		10. PROGRAM ELEMENT, PROJECT, TASK AREA & WORK UNIT NUMBERS	
Naval Postgraduate School Monterey, California 93940	12. REPORT DATE June 1980 13. NUMBER OF PAGES 174 15. SECURITY CLASS. (of this report)		
	•	Unclassified Isa. DECLASSIFICATION/DOWNGRADING	
Approved for public release; distri	ibution unlimited	1.	
7. DISTRIBUTION STATEMENT (of the shetract entered i	in Block 20, if different fro	a Report)	
SUPPLEMENTARY NOTES			
Narrow Aperture, Burst Transmission			

20. ABSTRACT (Continue on reverse side if necessary and identify by block mamber)

The feasibility of accomplishing high frequency direction finding against short duration (100-1000 ms) HF skywave signals using narrow aperture antennas is investigated. Two statistical procedures for estimating the signal bearing are proposed and compared. These procedures employ time averaging to reduce the large instantaneous bearing error caused by the phase and amplitude distortion of the wavefront due to scattering and multipath interference.

SECURITY CLASSIFICATION OF THIS PAGE/IMM Dete Entered

Results are presented using data collected with the Southwest Research Institute Coaxial Spaced Loop HFDF system. It is shown that for a limited sample of data from this system the standard deviation of the bearing estimate for a 200 ms signal varied from 15 to 59 degrees.

PADIO DIFECTION FINDING ON HIGH FREQUENCY SHORT DUPATION SIGNALS

by

Dennis Dean Sheppard Lieutenant Commander, United States Navy B.S., Iowa State University, 1972 M.S., Naval Postgraduate School, 1979

Submitted in partial fulfillment of the requirements for the degree of

FLECTRICAL ENGINEER

from the

NAVAL POSTGRADUATE SCHOOL

June 1983

ABSTRACT

The feasibility of accomplishing high frequency direction finding against short duration (102-1200 ms) HF saywave signeds using narrow aperture antennas is investigated. Two statistical procedures for estimating the signal bearing are proposed and compared. These procedures employ time averaging to reduce the large instantaneous bearing error caused by the phase and amplitude distortion of the wavefront due to scattering and multipath interference. Results are presented using data collected with the Southwest Research Institute Coaxial Spaced Loop HFDF system. It is shown that for a limited sample of data from this system the standard deviation of the bearing estimate for a 200 ms signal varied from 15 to 59 degrees.

.

TABLE OF CONTENTS

	P.	a दु e
I.	Introduction	.12
	A. History	.12
	B. Purpose of Thesis	.16
II.	Theoretical Considerations	.18
	A. High Frequency Skywave Channel	.18
	B. Narrow Aperture DF Antennas	.23
	C. Summary of Theoretical Considerations	.29
III.	SWFI HFDF Antenna System	.31
	A. Introduction	. 31
·	B. Theory	32
	C. System Design and Instrumentation	. 43
IV.	Data	47
	A. Data Files	. 47
	B. WWV and KLC	.48
	C. Data Records	.49
	D. Ionospheric Data	.51
V .	Analysis of SWRI Data	. 53
	A. Introduction	.53
	B. DFERR	.55
	C. LMAT	.95
	D. Ambiguity Resolution	.118
VI.	Conclusions and Recommendations	.124

Appendix	A	• • • • • •	• • • • • • • • • •	• • • • • • • • • • • • • • • • • • • •	131
Appendix	3				133
Appendix	C				136
Computer	Programs	• • • • • •			145
List of	References	• • • • • •			171
Initial	Distribution	List			173

LIST OF TABLES

I.	Summary of Ionospheric Data
II.	DFERR Output Page 1, Average Bearing Frror60
III	.DFERR Output Page 2. Standard Deviation of Bearing
	Error
IV.	DFERP Output Page 3. Intra-signal Standard
	De viation
٧.	DFEPR Output Page 4. Number of Valid Signals63
VI.	Comparison of DFEFR and L Matrix Processing129

LIST OF FIGURES

	Page.
1.	Partial short duration signal bit stream14
2.	Simple loop sensing direction of arrival24
3.	Simple Adcock sensing direction of arrival25
4.	Simple loop and coordinate system33
5.	Coaxial spaced loops and coordinate system35
6.	Coaxial spaced loop patterns as a function of
	signal polarization and angle of incidence37
7.	Spaced loop array geometry42
8.	Coaxial spaced loop mast-mountable array44
9.	Block diagram of SWFI spaced loop antenna
	system instrumentation
10.	. WWV 5 MHz 2/79 short signal duration A4MAX=0.271
11.	WWV 5 MHz 2/79 short signal duration A4MAA±0.472
12.	. WWV 5 MHz 2/79 medium signal duration A4MAX=0.273
13.	WWV 5 MHz 2/79 medium signal duration A4MAX=2.474
14.	WWV 5 MHz 2/79 bearing error histogram75
15.	WWV 10 MHz 2/79 short signal duration A4MAX=0.276
16.	. www 10 MHz 2/79 short signal duration A4MAX=0.177
17.	WWV 10 MHz 2/79 medium signal duration A4MAX=0.278
1ε.	WWV 10 MHz 2/79 medium signal duration A4MAX=0.479
19.	WWW 10 MHz 2/79 bearing error histogram80
20.	NWV 20 MHz 2/79 short signal duration A4MAX=0.281

21.	. WWV 20 MHz 2/79 short signal duration A4MAX=0.482	ć
22.	. WWW 20 MHz 2/79 medium signal duration A4MAX=0.283	5
23.	. WWV 20 MHz 2/79 medium signal duration A4MAX=0.484	E
24.	. WWV 20 MHz 2/79 bearing error histogram85	5
25.	. WWV 5 MHz 2/80 short signal duration A4MAX=0.288	;
26.	. WWV 5 MHz 2/80 short signal duration A4MAX=0.487	,
27.	. WWV 5 MHz 2/80 medium signal duration A4MAX=0.288	3
28.	. WWV 5 MHz 2/80 medium signal duration A4MAX=0.489	3
29.	. WWV 5 MHz 2/80 bearing error histogram92	7
30.	. WWV 10 MHz 2/90 short signal duration A4MAX=0.291	
31.	. WWV 10 MHz 2/80 short signal duration A4MAX=0.492	?
32.	. WWV 10 MHz 2/80 medium signal duration A4MAX=0.293)
33.	. WWV 10 MHz 2/80 medium signal duration A4MAX=0.194	-
34.	. WWV 10 MHz 2/87 tearing error histogram93)
35.	. WWV 15 MH2 2/80 short signal duration $A4MA\lambda = 0.211$. 2
36.	. WNV 15 MHz 2/80 bearing error histogram A4MAX=0.2.11	. 1
37.	. WWV 15 MHz 2/80 L(12,90)11	. 2
38.	. WWV 15 MHz 2/80 L(12,90) bearing error histogram11	. [3]
39.	. WWV 15 MHz 2/80 L(3,90)11	. 4
40.	. WWV 15 MHz $2/80$ L(3.90) bearing error histogram11	2
41.	. WWV 15 MHz 2/80 L(1-4,90)11	6
42.	. WWV 15 MHz 2/80 L(1-4,90) bearing error histogram.11	7
43.	Ambiguity suppression curve	1
44.	. Ambiguity suppression for WWV 5 MHz 2/6012	:2
45.	. Ambiguity suppression for WWV 15 Mdz 2/83	13

46.	WWV	15	MHz	2/5/80 Ray trace
47.	VEW	10	MH z	2/5/80 Relative power diagram140
<u>4</u> 8.	NWV	15	MHz	2/5/80 24 hour variance diagram141
49.	₩₩V	15	MH z	2/13/79 Ray trace142
50.	W W V	10	МНZ	2/13/79 Relative power diagram143
51.	NUV	12	MHz	2/13/79 24 hour variance diagram144

ACKNOWLEDGEMENT

The author wishes to thank Dr. Stepnen Jauregui for his support, guidance and tutelage; the engineers at Southwest Research Institute for their cooperation and friendship; Mr. Bob Pose at NOSC for his aid; and Lt. Jav Benson who provided invaluable aid in data translation to IBM compatible format.

I. INTPODUCTION

A. HISTORY

High frequency radio direction finding, abbreviated in this report as HFDF, has been a topic of interest since the first uses of radio. The science of HFDF has developed in spurts of ingenuity and need. The advances in electronic devices and the more accurate modeling of HF propagation have been important steps to developing accurate HFDF systems. However, it has been military necessity that has spurred the most important developments in this field. The greatest concentration of published literature on this subject resides in the technical reports published during and in the decade after world War Two.

The major studies of HFDF have dealt with the problems of polarization of skywave signals, the effects of multipath propagation, the statistics of HF propagation through the ionosphere and the development of HFDF antennas and arrays of antennas. An important distinction has developed from these studies. There are three types of HFDF antennas: (1, wide aperture. (2) medium aperture and (3) narrow aperture antennas. Whether an antenna array compares phase or amplitude, the primary measure of problems attendant to its accurate operation is the width of its aperture. The term

aperture in this paper refers to the linear spatial extent of an antenna, not to an area. The unit of measurement is either meter or wavelength. If the aperture is on the order of one quarter or less of a wavelength, it can be considered narrow aperture, and it suffers the greatest number of difficulties to achieving accurate direction finding capability.

During World War Two the Allies experienced considerable with the landbased medium and wide aperture systems Success and, not unexpectedly, limited success with narrow aperture. shipboard HFDF systems. One of the major targets of the shipboard HFDF systems was German submarines. As improvements were made to all types of HFDF systems, the submarine's transmissions became more and more vulnerable. In an effort to maintain communications and to towart HFDF systems, the Germans shortened the duration of transmissions to lower the probability that the transmissions would be intercepted and subsequently located by HFDF. A highly effective means of shortening transmission time was to record the information on tape and then to transmit via the radio at a much faster playback speed. When this method coupled with was practice of economizing on the amount of information sent. signal durations were shortened by more than an order of magnitude. A U-boat employing such measures was appreciably less susceptible to HFDF.

The problem of locating a short duration signal remains

today. It is still a common problem, even when the target transmitter does not attempt to compress its signal. In a tactical situation it is typical that the communication net control station, usually co-located with the officer-in-tactical-command, will act as a broadcasting station, and the outstations will not transmit or will only transmit a brief signal. In the case of manual morse this signal may be an "r" for "roger your last transmission", or in the case of tactical voice communications the outstation will briefly key the microphore. In either case the transmission may not last longer than 200 to 400 milliseconds.

The rapid growth of digital communications has significantly increased the ease with which a burst signal can be generated and "reliably" received. Given a digital pulse of duration "t" and a total signal duration of "T", there is a simple expression for the amount of information in bits that can be transmitted.




Figure 1

 approximately the reciprocal of the bandwidth; therefore, N=(T)(Bw). approximately. In the high frequency range a bandwidth of 10 kHz can be readily achieved. As an example. if BW=10 khz and T=500 ms. N equals 5000 bits. Five thousand bits is sufficient to provide considerable encoded tactical information. Even if the signal duration were limited to 230 ms and the first half of the signal dedicated to alerting the destination receiver, there would remain 1020 bits for information. At five bits per symbol and an average of five symbols per word, this would allow forty words to be communicated in the space of 200 ms. For a ship on a covert thirty day patrol sending a single daily status report via turst communications, the total communications transmission time would amount to six seconds (about two one millionths of the patrol period).

To date this author has not been able to find any past or current research on the capabilities of HFDF systems to exploit short duration signals. This is probably due to several reasons. The primary reason is that HFDF engineers are still absorbed in the more basic problem of improving HFDF against medium and long duration skywave signals. Especially in the case of narrow aperture HFDF antenna systems, there remains considerable need for improvement. In the case of wide aperture HFDF antenna systems, the problem of short duration signals seems to be tractable. However,

there does not appear to exist a comprehensive study addressing this problem, and to conduct such a controlled study of skywave propagated signals would be expensive. Notwithstanding these difficulties, the short duration signal could easily become an acute tactical problem for the side that cannot exploit it, and the problem therefore deserves immediate attention.

B. PURPOSE OF THESIS

The general question of interest is how good are existing HFDF systems at determining lines of bearing on short duration signals. Any complete examination of an HFDF system requires one to investigate the characteristics of either wide or narrow aperture antennas. Additionally, one must examine the problems of site location, signal acquisition system, receiver demodulation, tearing sense circuits and the noise environment. Performance must also be determined for ground versus skywave and multipath versus single path. This would be an enormous task if all current HFDF systems were considered. The scope of this effort is much more restricted.

The purpose of this thesis is to investigate the mean and variance of tearing estimates for short duration skywave signals received with a narrow aperture HFDF system. Several statistical procedures are developed and compared with the

intention of discriminating between reliable and unreliable data and calculating the best bearing estimate from the reliable data.

The problem of how to acquire a short duration signal or how to interface such an acquisition system to an HFDF system will not be addressed in this report.

II. THEORETICAL CONSIDERATIONS

A. HIGH FREQUENCY SKYWAVE CHANNEL

High frequency (HF) is the region from three to thiry regahertz. Its complexity is due to many natural phenomena which are interdependent, complex in themselves. some poorly understood, cosmic and microcosmic in extent and difficult to measure. The primary complexity for the HFDF engineer resides in the ionosphere. The ionosphere can be considered inhomogeneous plasma that surrounds a sphere of finite, but variable, conductivity and separates the sphere from free numerous solar and galactic sources of space and disturbances. The ionosphere has been, and continues to be, a subject of considerable research. References 1 through 4 are a rich resource of information on the ionosphere and research reports are added monthly, but the scope of the problem is immense. To predict accurately ionospheric conditions, must be equipped with more than the physics of the ionosphere. The physics provides the equations of the system. but the forcing functions and the boundary conditions must be sufficiently measured to forecast accurately.

The forcing functions are the solar flux, gravitational waves, weather related dynamics and the signal of interest. The ionosphere is usually modeled in terms of electron

concentrations: therefore, phenomena which affect the concentration or the excitation of the electrons drive system. The solar flux is primarily a diurnal phenomenon; its impact is strongest in the portion of the plasma illuminated by the sun. This flux is made up of electromagnetic energy and streams of particles. In the case of sun spots and solar flares, there are often increased emissions that tend disturb the normal structure of the ionosphere. (Perhaps it would be more accurate to state that the disturbance is to our model of the ionosphere.) The solar disturbance evolves in three stages. The first is the impact of electromagnetic energy in the ultraviolet and x-ray ranges that causes an increased electron concentration in the lowest electron layer (D-layer). The second effect is the arrival of high energy protons and alpha particles that also increase the D-layer. The duration of the disruptions due to these two phases is limited to several hours. The third phase is the arrival of low energy protons and electrons which shower the earth patterns molded by the Earth's magnetic field. In this phase. which may last as long as several days, the ionosphere experiences magnetic storms, an increase in the D-layer. sporadic conditions in the next higher F-layer and the spectacular aurorae.

Acousto-gravity waves constitute a forcing function of a different scope. Periodic variations in the dynamics of the

Earth-mocn-sun gravitational system and isolated, anomalous gravitational activity on the Earth combined with HF accustic waves (The Mt. St. Helen eruption was a recent source of such waves) exert forces that distort the general concentric spherical form of the electron plasma layers. The distortions are not only static. Traveling ionospheric disturbances are not uncommon, and their effect is to create a doppler shift on transmitted signals. If the ionospheric disturbance is tilted, the ray trace of a transmitted signal will be bent in azimuth.

The third mentioned forcing function is the weather. The dynamics of the weather affect the pressure, the temperature and the mixing of the atmosphere. These three factors in turn have a significant impact on the electron concentrations, particularly the concentrations at the lower altitudes. The weather is also a very important factor in high frequency ranges because it is a noise source. Much of the high frequency background noise is attributed to thunderstorm activity which is continually occurring at some point on the Earth. (It should be noted that most of the electromagnetic energy of a thunderstorm is in the VLF region.)

Manmade signals are one of the smallest forcing functions acting on the ionosphere, but they are naturally of great interest. The target signal injects itself into the ionosphere; it operates on the ionosphere and is operated on

by the ionosphere. The study of this interaction has lead to a description of the change of transmitter antenna polarization to elliptical polarization, the phenomena of refracted high frequency waves, multipath interference and the concepts of maximum useable frequency (MUF), lowest useable frequency (LUF) and optimum working frequency (FOF).

The ionosphere is a system with largely fluctuating boundary conditions. The surface of the Earth is the only boundary that can be considered fixed with respect to daily, seasonal and eleven year solar cycles. Other boundary conditions are much more dynamic. Of these, the layering of electron concentrations is primary. The inner two layers, D and E, which are mostly the result of solar electromagnetic radiation have been mentioned. The outer layer, F, which often is subdivided into an F1 and F2 layer is relatively more stable. It remains when the portion of the ionosphere of interest rotates into the solar umbra and the D and E layers disperse. The D and E lavers during daylight are responsible for the non-leviative attenuation of much of the HF spectrum of interest (3-12 MHz). The dispersion of the D and E layers permits the F layer to become a virtual reflector situated at altitudes typically from 200 to 400 km. (The actual mechanism of propagation through the F layer is refraction which can be modeled as reflection from a virtual height greater than the actual zenith of the bending ray.) F propagation opens up the

evening airways to long distance communications and attendant long distance HFDF in the 3-12 MHz range. For the engineer this is a mixed blessing.

The HFDF engineer's interest in stywave propagation is in the difference between the direction of arrival of the target signal and the great circle bearing to the target and in the variance of the measurements of the angle of arrival. Aside from the equipment limitations and site location distortions and reflections, many of the errors and variances that need to be resolved to improve DF are due solely to the ionosphere.

In the evening, targets of interest in the 3-12 MHz band can be exploited, but there is a considerably greater chance of interference from other discrete sources or from general noise sources. Additionally, there is increased complexity when signals routinely arrive after two or three hops which correspond to maximum distances of 8000 and 12000 km. respectively. Over these distances the errors and variances due to intereference, fading, tilting and scattering increase to a point that even wide aperture antennas cannot produce useful fix information.

An important consideration for narrow aperture antennas is that the effective aperture of one-quarter wavelength at 20 MHz, a typical longhaul daytime frequency, becomes a one-sixteenth wavelength at 5 MHz, a nighttime frequency. The


loss of effective aberture further exacerbates the problem of determing a bearing and its variance. The effective height of the artenna is also a function of frequency; therefore, ore can expect the array pattern to change with the change in operating frequencies.

B. NARROW APERTURE DE ANTENNAS

The knowledge of the ionosphere has grown extensively in the past forty years. Investigators can now feel reasonably comfortable with the developed models and the improved sensors, especially the extra-terrestrially satellites. General predictions are possible and a new favorite computer aid is the software that propagation and displays ray tracings (see Fef. 13 and Appendix C'. An HFDF engineer can review the propagation scheme with an assurance that he unierstands sufficiently the problems presented by the ionosphere. But in the case of narrow aperture HFDF antennas one must guard against the feeling of confidence induced by a knowledge of the general situation. One is reminded of the situation where a blind man feeling the trunk of an elephant attempts a general description of the elephant. In the case of a 1.5-meter aperture antenna sampling a wavefront in the 60-meter tand, the dimensional comparison with a nand and an

elephant is accurate.

There are two commonly used types of narrow aperture antennas. One type relies on amplitude comparison to determine direction of arrival and the second type relies on phase comparison. An example of the former is the simple loop and of the latter is the Adcock. (Reference 5 points out that the phase and amplitude distinction is not clear cut in the case of the Adcock.) The case of the simple loop is illustrated below.



Simple loop sensing direction of arrival

The direction of arrival of the signal is determined by the relative orientation of the loop and the horizontal component of the magnetic field.

The case of the Adcock (actually one half of a U-Aduock) is illustrated as:




Figure 3

Simple Adcock sensing direction of arrival

The direction of arrival of the signal is determined by the phase difference between the two elements.

The two examples above only serve to illustrate how direction of arrival information is determined. Real systems employ more elements to resolve ambiguities, improve accuracy and enhance resistance to noise. The point is that the fundamental process relies on an element sensing amplitude or phase. This fundamental process is in turn the fundamental difficulty for narrow aperture HFDF antennas.

In Ref. 6 Gething uses computer simulation to plot wave interference of multimode signals in terms of surfaces of constant phase (CP) and constant amplitude (CA). For the ideal case of a single specular component with no scattering, the surface of CP and CA is a plane whose normal is the direction of propagation. In the case of two rays, the

interference patterns represented by the surfaces of CP and CA vary with the angular separation of the rays in elevation and azimuth. In all of the patterns presented in Ref. 6 in which the amplitudes of the two component rays differ by only ten percent, major distortions to the ideal planes of CA and CP occur. Approximately planar portions of the surfaces of CA and CP extending to several wavelengths in length are up to sixty degrees different from the true angle of arrival. There are also kinks in the phase fronts that vary the phase up to ninety degrees in less than the space of one wavelength. In the cases where more than two rays are present, the interference patterns become much more complex.

It is obvious that the spatial extent of wide aperture antennas is needed to resolve such interference patterns in a short period of time. Balser and Smith in Ref. 7 explained that when the outputs of two antennas were correlated, the antennas had to be spaced forty wavelengths in the case of single hop and ten wavelengths in the case of multihop to lower the correlation coefficient to 3.5. For a narrow aperture antenna to detect phase or amplitude distortions of this magnitude, the time of observation must be relatively long. However, it is necessary to detect such distortions to permit an assessment of reliabilty to be assigned to bearings measured in distorted fields.

The description above of interference patterns was for two

sources nearly equal in amplitude. The condition of comparable amplitudes is one that results in severe distortion. As the amplitude of one of the rays becomes substantially less than the other ray, the interference pattern approaches the ideal, undistorted planar pattern (implicit is the assumption that single mode scatter is also very weak). Assuming that at least one of the rays of a two ray interference pattern is fading, it can be expected that for short periods of time ideal planar CA and CP wavefronts can be observed. There is no ready means of identifying these moments; however, if the fading is random, the planar CA and CP wavefronts should be the statistical mean of the measured wavefronts. The rate of fading should therefore be a parameter to indicate the time duration required to statistically acquire a measurement of the true angle of arrival.

It is noted in Ref. 6 that for a single ray with Faraday rotation induced elliptical polarization the fade rates are measured in seconds per cycle. In Ref. 12 polarization fading with periods of 10 seconds and 20 db fade depths were reported as common. If two or more rays are present, fading is measured in cycles per second. This indicates that a narrow aperture HFDF system will require approximately a second to recognize the fading condition if strong multipath interference exists. The time required to average the

interference pattern is related to the polarization fading of the dominate mode. The amplitude of a polarization signal is a stochastic process; therefore, there is no deterministic functional relationship between time and fading. A measure of the rapidity with which facing is fluctuating can be expressed in terms of a fading power spectrum. (Section 5.4.3 of Ref. 1 discusses the concept of fading power spectrum.) If there is a large portion of the "fading power" in the higher frequencies (100 to 1000 fiz. the fading is fast. If the "fading power" is primarily in the the 0.1 to 1.0 Hz region, the fading is slow. In the case of polarization fading it has already been noted that fading is typically in the seconds per cycle range. Therefore, an antenna which does not have sufficient spatial aperture to average interference patterns must rely on fading to permit time averaging. The time required for averaging is a function of the interference pattern and appears to be on the order of five to ten seconds.

A measurement experiment reported by Bain in Ref. 8 demonstrated how time averaging of bearings reduced the variance associated with the mean bearing. Using a U-Adcock with buried feeders, bearings on skywave signals were recorded at five bearings per second. An autocorrelation of the bearings was computed and the resulting curve was approximated by the exponential expression:

$$R(\tau) = \exp(-\tau/\tau_0)$$

where is a parameter associated with fitting an exponential curve to the measured bearings. The formula relating the variance of the mean bearing $(\sigma t)^2$ and the variance of a single observation $(\sigma)^2$ is:

$$\frac{\sigma_{\tau}^{2}}{\sigma^{2}} = \frac{\tau_{o}^{2}}{T} \left(e^{-T/\tau_{o}} + \frac{T}{\tau_{o}} - 1 \right)$$

where T is the time interval over which the bearings were averaged. Bain reported that for $(T_0) = \emptyset.56$ (corresponding to considerable bearing fluctuation), the variance was reduced by a factor of $1\emptyset$ in 12 seconds. The 12 second duration roughly corresponds in order of magnitude to the reciprocal of an average fade rate.

C. SUMMARY OF THEORETICAL CONSIDERATIONS

The narrow aperture HFDF antenna is physically limited to time averaging operation against skywave signals. In the case of ideal ionospheric propagation, the antenna system can perform within equipment and site limitations. If the site errors are known, the equipment and array calibrated and there is a good SNR, average bearing errors of 3.5 to 1 degree and variance of 5 degrees squared should be possible. If multipath propagation exists with fading up to 28 db, time

averaging over at least ten seconds with sampling at about five per second should reduce most of the variance due to tae complex interference patterns.

The difficulty of obtaining accurate HFDF against short duration signals using a narrow aperture array is considerable. In the case of multipath interference in which at least two rays are comparable in amplitude, the DF error on a short duration signal with only one sample bearing could be up to ninety degrees. This is the extreme of bearing error due to phase and amplitude front distortion. In a more hospitable multipath environment the system performance should be much better, but there is little experimental evidence by which one can assign typical bearing errors and variances. The analysis of the narrow aperture antenna system in the following sections provides performance data on an experimental, state of the art system.

III. SWRI HEDE ANTENNA SYSTEM

A. INTRODUCTION

The Electromagnetics Division of Southwest Fesearch Institute (SWRI), located in San Antonio. Texas, has developed and tested a new design for a narrow aperture HFDF antenna system to operate against both ground wave and skywave signals. The significance of this new design is that it is a mast mountable narrow aperture antenna that is a fixed array. There are no moving parts; therefore, it is ideal for the shipboard environment. The elements of the array are simple loops and spaced loops. The latter will be shown to have polarization independent qualities and, therefore, to be ideal for exploiting skywaves. The array and the associated instrumentation of the system are high speed and computer controllable.

The primary reference for the analysis that follows is an in-house report prepared by the system architects [Ref. 2]. The system herein described has been patented. The author of this thesis has visited the San Antonio site and has operated the HFDF system with the assistance of the SWRI personnel.

B. THEORY

must review the theory of the simple loop. The figure on the next page depicts a simple loop set in a coordinate system with an incoming signal ray (E field components labeled Ev and Eh). The angle phi (Φ) is the azimuth measured in the XY plane of the incoming ray. The plane of the loop is aligned with the XZ plane. The incidence angle theta (Θ) is measured in the plane defined by the Z axis and the signal ray. The signal is considered to have a vertical and horizontal electric field component (Ev and Eh). The expression for the output voltage (sinusoidal input, time variation suppressed) is:

$$V1 = -(Iv')COS\Phi + (Rh')(COS\Theta SIN\Phi)exp(j\Phih)$$
 (1)

where:

Ev': relative amplitude of the vertical component

Fh': relative amplitude of the horizontal component

 ϕ : azimuth


O: angle of incidence

The phase of horizontal component relative to the

vertical component

V1: simple loop output voltage

With respect to skywave signals, the significance of equation



Simple Loop and Coordinate System

(1) is that it is polarization dependent. HFDF systems generally rely on isolating a null in the array pattern that can be related to the azimuth of the incoming signal. The null used should only be a function of the target's bearing. The simple loop works well with ground waves for which case theta is equal to 93 degrees. When theta is 90 degrees equation (1) reduces to a function of only one spatial variable, phi, which is the desired bearing. The output voltage in this case is:

$$V1 = -Ev' \cos \Phi$$

The simple loop does not function acceptably against skywaves. In the case of skywaves the loop voltage is a function of the two spatial variables, theta and phi, and the relative phase. The nulls operated by these three variables are too numerous and the available measurements too sparse to resolve all the ambiguities.

A solution to the polarization dependence limitation of the simple loop is to combine two simple loops into a two element interferometer as illustrated in figure 2. The loops are connected in parallel with opposing phase. The output voltage of this array, known as coaxial spaced loops, can be determined by pattern multiplication [Ref. 10]. The pattern of the spaced loop array is equal to the product of the group pattern and the element pattern. The group pattern of the




Figure 5
Coaxial Spaced Loops and Coordinate System

array is:

 $Gr = j \beta \hat{a} SIN(\Theta)SIN(\Phi)$

d: separation of the two loops

B: 211/7

λ: signal wavelength

New let:

Ev = jEv' d/2

Eh = jEn' d/2

This permits the spaced loop output voltage to be written as:

$$Va = -Ev SIN\ThetaSIN 2\Phi + Eh(SIN 2\Theta SIN\Phi) erp(j\Phi h)$$
 (2)

The significance of equation (2) is the existence of polarization independent nulls. The output voltage equals zero whenever the azimuth angle equals 2 or 160 degrees. The incidence angle, the relative phase and the relative amplitudes of the electric field components do not affect these nulls. It is due to the interferometer structure that these nulls exist; they are therefore called interferometer nulls to distinguish them from the simple loop nulls. Figure 3, taken from reference 11, graphically displays the polarization independent nulls for different conditions of incidence and polarization.

Equation (2) is an expression for a fixed orientation of




Figure 6

Coaxial Spaced Loop Patterns as a Function of Signal Polarization and Angle of Incidence the spaced loop array in the coordinate system. To make the orientation arbitrary the variable alpha is introduced into (2).

$$Va \propto = -Ev SIN SIN2(\Phi - \propto) + Eh SIN2\Theta SIN^{2}(\dot{\Phi} - \propto)$$
 (3)

 $(\phi - \alpha)$: relative azimuth angle

The alpha variable permits the expression of the output voltage of a spaced loop array oriented alpha degrees from the x-axis to be written as shown in (3). This will later allow equation (3) to express the output voltages of more than one pair of spaced loops set at different angles in the coordinate system.

By defining:

C = EV SIN 8

 $A\emptyset = Eh SIN(2\Theta) \exp(j\Phi h) 1/2$

 $A2 = -C SIN 2\Phi - AØ COS 2\Phi$

 $B2 = -A3 SIN 2\phi + C COS 2\phi$

Equation (3) can be written as:

$$Va \propto = A0 + A2 \cos 2 \propto + B2 \sin 2 \propto (4)$$

This form permits a Fourier series interpretation of the spaced loop output voltage:

 $A\partial$ = dc term of the output voltage

A2 and B2 are coefficients of the second harmonic

The significance of (4) is that for a rixed value of target azimuth and elevation, the spaced loop voltage as a function of relative azimuth is limited to a second narmonic of the relative azimuth. The application of the Nyquist sampling criterion reveals that the voltage pattern can be duplicated by four sample values. Therefore, a spinning spaced loop can be synthesized by a minimum of four samples taken equally spaced through 362 degrees of azimuth.

The solution for the bearing (the azimuth angle phi) is derived from equation (4) and the definitions given above for C. AZ. AZ and BZ. By algebraic manipulation it is determined that.

$$C = +/- (A2 + B2 - A3) (5)$$

AZ, AZ and 32 will be shown to be measureable quantities. C is determined from equation (5) above. Using the relationships.

$$SIN 2 \Phi = -[1/(C + A3)] [(C)(A2) + (A3)(32)]$$
(3)

$$\cos 2\phi = -[1/(C + A\partial)] [(A\partial)(A2) - (C)(32)]$$
 (7)

one can determine the azimuth, phi. by

$$\Phi = (6.5)$$
 ARCTAN (SIN 2 Φ / COS 2 Φ) + n • 188 n=0,1 (8)

Inherent in equation (4) and made obvious in equation (3)

are four null ambiguities. There are two nulls 180 degrees apart that can be attributed to the simple loops and two nulls 180 degrees apart that are the interferometer rulls. The SWFI analysis shows that by adding the simple loop phasors into the analysis, the simple loop nulls can be determined and then discarded. By comparing the spaced loop output to the simple loop output, the correct interferometer null which represents the desired bearing can be identified

The engineers at SWRI used the ideas they developed above to design a fixed spaced loop array. The undesirable mechanical feature of the rotating spaced loop was eliminated by using four spaced loops fixed in an array to synthesize rotation as shown below.

 \propto




Figure 7
Spaced loop array geometry

The Nyquist criterion requires a minimum of four samples to synthesize equation (4). This could reliably be accomplished by three pairs of spaced loops, but to provide for additional reliability in the presence of noise, a four pair spaced loop array was constructed.

Assuming the orientation given in the diagram above, one can determine AC. A2 and B2 in terms of the individual spaced loops. Solving

$$Vax = AC + A2 COS 2x + B2 SIN 2x$$

in terms of alpha yields,

$$\alpha = 0$$
 $VaD = AD + A2$

$$x = 45$$
 $x = 45$ $x = 45$ $x = 45$

$$\alpha = 92$$
 $Va92 = A0 - A2$

$$\alpha = 135$$
 $Va135 = A2 - B2$

where Va0. Va45. Va90 and Va135 are the phasors of the spaced loops in the array shown above.

This provides four equations to solve for three unknowns. One solves for A@. A2 and B2 by the following equations,

$$AØ = (0.25) (Va0 + Va45 + Va90 + Va135)$$

$$A2 = (0.5) (Va2 - Va20)$$

$$B2 = (0.5) (Va45 - Va135)$$

After A?, A2 and B2 are determined from the phasor equations

above. they are substituted into equations (6) and (7) which in turn are used to solve equation (8) for the four possible bearings.

Further algebraic and trigonometric analysis detailed in Reference [9] shows that the simple loop nulls can be determined by.

$$\alpha$$
 = ARCTAN (VLØ/-VL90) = ϕ - ARCTAN (C/A2)

where VL2 and VL90 are the phasors of the two simple loop pairs.

Once the simple loop nulls are known, the sign of C in equation (5) can be determined. This in turn leads to the unambiguous selection of the proper interferometer null.

$$\Phi$$
 = ARCTAN ($V1/V2$)

where.

$$V1 = [j/(-A\partial^{2} - C^{2})] [(C)(VL9J) - (AJ)(VLJ)]$$

$$V2 = [j/(-A\partial^{2} - C^{2})] [(C)(VLJ) + (AJ)(VL9J)]$$

It was noted above that four equations are available to solve for three unknown coefficients. The additional information permits two separate solutions for the AC term.

$$[A0] = (2.5) (Va2 + Va90)$$

 $[A0]' = (2.5) (Va45 + Va135)$

The difference between these two A2 terms should ideally be zero. If the difference is not zero there is an inconsistency within the system. This difference is called the A4 term because it corresponds exactly with the coefficient of the fourth harmonic of a Fourier series expansion of the spaced loop pattern in azimuth. The A4 term is therefore an important parameter in determining bearing quality.

C. SYSTEM DESIGN AND INSTRUMENTATION

The array of spaced loops and simple loops suitable for rast mounting shown in figure 8 was built by SwRI. There are four pairs of spaced loops in the lower bay. Each pair consists of 42 inch high by 22 inch wide simple loops separated by 60 inches. The output of these diametrically opposite loops are connected in parallel opposition. The simple loops in the upper bay are used to resolve ambiguities in the bearing algorithm. These diametrically opposite simple loops are connected in parallel assistance. The reference antenna is synthesized by quadrature addition of the simple loops.

A block diagram of the equipment suite is drawn in figure




Figure 8
Coaxial Spaced Loop Mast-Mountable Array




Figure 9
Block Diagram of SWRI Spaced Loop Antenna
System Instrumentation

9. The RF sequencer is a computer controlled switch that is necessary to provide high speed switching of the different elements of the array. A dual channel receiver is used to provide a receiver channel for the reference signal and a channel for the loop voltages. The predetected output of both channels of the receiver is monitored by a phasemeter that provides a digital measurement of the phase of the antenna elements with respect to the reference. The detectors are a pair of precision peak detectors. The detector output is sampled and digitized by the analog to digital converter. The digital data is routed to a minicomputer for processing. Each data frame is approximately 20 ms in duration. The data frame consists of the six complex numbers representing the six voltage phasors (Va@, Va45, Va9@, Va135, VL2 and VL9&:. Not all of the data frames are acceptable. The voltage values must be within the linear range of the detector and receiver circuits. The acceptable data frames are the input to the algorithms that determine the bearings and resolve the ambiguities.

A. DATA FILES

The SWPI equipment suite is arranged so that data measured from the spaced loop antenna instrumentation is stored on magnetic disk. This permits the DF operator to postprocess the data using statistical techniques to derive a more accurate bearing. Also available is the capability of mass storage on magnetic tape. It was on magnetic tape that SWRI provided the Naval Postgraduate School with nine files of data in 1979 and four files in 1980. The 1979 data consists of the following files. The test source was a transmitter placed close to the array to provide a ground wave in approximately the same direction as WWV.

File Number	Frequency (MHz)	Source	Time (CST)	Date
123456789	10 20 15 5 15 5.71 10.01 15.01 20.01	WWV WWV WWV WWV Test Test Test	08:30 12:15 12:30 27:00 09:30	2/13/79 2/13/79 2/13/79 2/14/79 2/14/79

The 1980 files are as follows:

File	Number	Frequency (MHz)	Source	Time (CST)	Date
	10	5	NNV	22:40	2/6/82
	11	1 3	MM A	37:40	2/5/80
	12	15	VWV	09:22	2/5/22
	13	8.666	KLC	Ø8:15	2/7/82

It is known that file 17 is a low SNR data set. Files 11 and 12 are data sets with SNR's in excess of 20 dB.

B. NNV AND KLC

www is an ideal target because it is an amplitude modulated signal with no carrier suppression. For the majority of the hourly information duty cycle, the information modulated on the carrier is simple 443, 500 and 600 Hz tones; ticks; and occassional voice announcements. The WWV signal is stable to +/- two parts in (17), and it is available on 5, 10, 15 and 20 MHz for 24 hours a day. The WWV signal is transmitted from Boulder, Colorado, which is geographically fixed at 40.8 N and 105.1 W. The true bearing of the great circle arc passing through San Antonio. Texas, and Boulder is 336.7 degrees, and the length of the arc is 1387 km.

KLC is a manual morse ship-to-sacre station transmitting from a platform in the Gulf of Mexico. This signal was enosen as a target because of the on-off keving (OOK) modulation and

because its relatively short distance from San Antonic results in a skywave with a high angle of arrival at the SWFI antenna array. The OOK modulation is important because it is a favorite mode of tactical communications; it is brief and reliable. The true bearing from San Antonio to MEC is 089 9 degrees and the distance is 370 km.

C. DATA RECORDS

Each file consists of 13.000 records. Each record consists of the AZ. phase. A4 and bearing terms calculated from frames of data (six voltage phasors) which were generated every 20 ms. The AO in the data is a normalized version of the AO explained in the previous section. In that section.

$$AZ = (3.5) \text{ Eh}(SINZ \Theta) \exp(j \Phi n)$$

The data on the tape is AØ normalized by the factor EvSIV, which yields:

A0n = [Eh/Ev]
$$\cos \Theta \exp(j \Phi h)$$

This is a complex number of which only the magnitude is used. All further references to AC in the data and analysis section will be the magnitude of the normalized value:

$$A\emptyset = [Eh/Ev]COS\Theta$$

It should be noted here that the AT term is a measure of the amount of horizontal polarization present. If Eh is greater than Ev. the ratio Th/Ev will tend to make 12 a greater than one. If the angle from the perpendicular, theta. large, there is a greater effective array aperture in the plane of Ev. and Ag is smaller. If Ad large. is the horizontal component is dominant. If small. the A 3 is vertical component dominates.

The second term of the record is the phase. It is the phase of the horizontal electric field relative to the vertical component of the field. It is a calculated value betweer -18% and +18% degrees. If this phase angle is a constant zero, the polarization is linear. If it is a nonzero constant, the polarization is elliptical. The phase value is typically noted to vary randomly within a limited range over short time durations. Over durations of several minutes, it will vary over the entire -18% to +18% degree range due to changes in Eh and Ey path lengths and multimode interference.

The third term in a record is the amplitude of the A4 term which was discussed in the previous section. It is a measure of the inconsistency within the spaced loop HFDF system. It is in large part due to noise, but it can also be to a limited degree a measure of circuit imbalance, measurement error, component failure, software failure and site error. Its value is that it is a measure of performance; however, it

is not a system diagnostic tool.

The fourth member of the record is the calculated bearing. It is an integer value from 2 to 359 degrees. For the wav signals this bearing is the system's estimate of the angle of arrival of the signal wavefront which should not vary far from the value 336.7 degrees. For KLC the true bearing is 289.9 degrees.

D. IONOSPHERIC DATA

No ionospheric sounding information was available for the time periods during which the data was recorded. However, propagation information was provided by the Naval Ocean System Center (NOSC). Using the known sun spot number for the data recording dates, they employed a computer propagation prediction program known as PROPHET to provide ray trace diagrams; MUF. LUF and power predictions; and 24 hour line of bearing variance curves. This data represents a good estimate of propagation conditions between Boulder and San Antonio for the times of interest. Examples of the program cutput provided by NOSC are reviewed in Appendix C. Using the NCSC data, propagation information for the CVV files is tabulated in TABLE I.

TABLE I

Summary of Ionospheric Data

Fil	e Fre	q Time	Date	Varian	ce	MUE	LUF	Ionospheric
#	MHz	GMT		degree	S	MEz	MEz	Mode
				square	đ			Prediction
1	12	14+30	2/13/	79 1		17	2.5	probable multimode
								1, 2, &3 nops
2	20	18:15	2/13/	79 1		22	5	possible multimode
								1 hep
3	15	18:30	2/13/	79 1		22	5	highly probable
								multimode 182 aops
4	õ	13.00	2/14/	79 3		12	2	possible multimode
								terminator 1.2.3 hops
5	15	17:30	2/14/	79 1		22	5	probable single
								mode
10	5	2:40	2/~/8	Ø 7.	4	12	2	possible multimode
								1.283 hops
11	12	13:40	2/5/8	2 3		17	2	probable multimode
								terminator 1.2 hops
12	15	17:00	2/5/8	7 1		23	5	single mode

V. ANALYSIS OF SYPI DATA

A. INTRODUCTION

purpose of this analysis is to exam the capability of the SWEI spaced loop HFDF antenna system to determine the angle of arrival of a short duration signal. A short duration signal is considered to be from 100 to 1000 ms in duration. It is important to note that this is not a general analysis of the performance of the antenna system, the bearing and sense algorithms or the post-processing algorithms developed SWPI. It is also important to recognize that system development is not complete. but is the subject of on-going research. The data provided to this investigator was provided from a system configuration not optimized for short duration signals or for some of the target frequencies recorded. the subject of this analysis is short duration skywave signals, the following analysis takes consideration the need to make maximum use of the available data. Whereas SWRI algorithms stress a bearing selection process that eliminates a large percentage of the data records to enhance the reliability of the estimated bearing. this analysis recognizes that a signal of 200 ms duration is represented by only 10 data frames and that some compromise reliability must be made. The term reliability in tais

report is used as a measure of confidence in the validity of the data. If one associates a standard deviation of 50 degrees with a data record and 20 degrees with a second data record, the latter would be considered more reliable.

aralysis first concentrated on examining the data primarily by filtering on the A4 term. the indicator of system inconsistency. If the A4 term is small, the bearing in that record should be considered more reliable than a bearing associated with a high A4 value. Using this approach a FORTRAN program called DFERP (DF EFRor) was developed to examine each file and report the average bearing error, standard deviation of bearing error and two other statistics of short duration signals with respect to the A1 term. A full discussion of the program is detailed in the next section. It was discovered that the A4 term is a useful parameter for determining bearing reliability in the majority of cases. However, when the A4 threshold is set to only allow the data record with A4 approaching close to zero (the theoretical ideal), there is not a large probability of determining a tearing on a short duration signal. In an attempt to improve on the sole use of the A4 term as a reliability indicator, a probabilistic likelihood ratio matrix based on all of the available signal parameters was employed in the analysis. The details of this approach are in the section titled LMAT (Likelinood MATrix).

A closer examineination was made of the problem of bearing ambiguity. The technique employed in this portion of the analysis is given in the section titled AMBIGUITY RESOLUTION. This analysis gives some useful insight into possible difficulties within the antenna system that may prove to be the most tractable.

B. DFERR

The purpose of this analysis was to determine now accurately a DF bearing could be calculated from the given data. The data consists of 200 seconds of WwV per file (one file of KLC). To study short duration signals it is necessary to consider the 200 seconds of data to be a continuous concatenation of short duration signals. The 10,200 records in each file contain the data for the 20 ms sampling periods; therefore, integer multiples of records correspond to different signal durations. To examine system performance against a 200 ms signal, one need only examine a file 10 records at a time. A 200 second file may be thought of as containing 1820 signals of 200 ms duration. Similarly. for a signal duration of 1 second, 50 records may be used to synthesize the signal, and the file is made up of 220 signals.

A FORTRAN program named DFERR was written to examine the

data files based on the above concept. The program was designed to examine signal durations from 20 ms to 200 seconds; however, it was used for this analysis in two ranges. 100 ms to 1000 ms in increments of 100 ms and 1 second to 10 seconds in increments of 1 second.

The general purpose of DFEPP is to examine system performance as two parameters are varied. The first parameter is signal duration; the second is the A4 term. The A4 term. explained in section III. is the measure of inconsistency within the DF system. If the A4 term is large, the bearing value in a record is not considered reliable. If A4 is small more confidence is placed in the bearing. The relative descriptors large and small have vet to be evaluated. In order to evaluate the pertinent range of A4 values, the A4 threshold (A4MAX) is varied between a small value, 3.1, and a large value, 1.2, in increments of 3.1.

If the value of A4 in a record is equal to or less than the value of A4MAX set in the program, the bearing is considered acceptable and used in further statistical processing. If the value of A4 is above the limit, the bearing of that record is discarded.

An explanation of further DFERR processing is best presented using an example. Suppose that the following records are being processed.

Record #	A Ø	Phase (deg)	A 4	Bearing (deg)
350	Ø.821	-47	3.132	332
351	0.611	-50	0.015	340
352	J.432	-58	3.116	336
353	₹.512	120	0.413	250
354	2.315	-80	9.178	233
355	1.011	-20	1.215	348

The value for the signal duration is 100 ms and the A4MAX value is 2.2; therefore, records 350 thru 354 are examined as representing a signal of 100 ms duration. Record 353 is immediately rejected because the value of A4 is greater than A4MAX. The remaining four records are called "A4 admissible" and are used to determine a bearing mean and standard deviation: (The mean and standard deviation formulas used in DFERR are derived in Appendix A.)

MEAN = 339 deg STD = 44 deg

These statistics are used to form a window centered at 329 degrees extending 44 degrees on either side of the mean. The A4 admissible bearings must pass through this window for further consideration. Pecord number 354 is not "window admissible" and is discarded. The remaining three records. being both A4 and window admissible, are used to compute a second mean and standard deviation:

MEAV = 335 deg STD = 4 deg

This mean is DFERR's best estimate of the bearing for this one 100 ms signal (records 350 through 354).

This reported bearing is compared with the true bearing. 337 deg. and the bearing error is computed as 335-337=-2 deg. Additionally, the valid signal counter is augmented by one. The number of valid signals will be used later to determine the probability of obtaining a bearing (POS).

If there are less than three A4 admissible records or less than two window admissible records in a given signal duration, the signal is considered invalid due to insufficient data and is counted in an invalid signal counter. To avoid the loss of reliable data in the case of a small standard deviation of the A4 admissible bearings, the screening window is not permitted to be narrower than 12 degrees.

The DFERR program processes ten separate signal durations at ten different A4MAX settings. Program output consists of four tables on separate pages. Each table is a ten by ten matrix: the rows correspond to the A4MAX vlaues and the columns correspond to the signal duration, see tables II through V. The first table (table II) is the average bearing error. This is the average of all the separate means reported. In the example above for 100 ms, the mean 335 would be one of a maximum possible 2020 values that would be averaged and then reported in the row A4MAX=2.2 and the

column signal duration equals 100 ms.

The second table (table III) is the standard deviation of the bearing errors reported in the first table. For the 100 ms signal duration category the standard deviation would be of a maximum possible 2000 mean values (the actual sample size is equal to the number of valid signals). As the signal duration increases, the sample size decreases. For the 1000 ms column, the maximum possible number of signals is 200. If medium duration signals are examined with OFERR, one must be attentive to the sample size. For a 10 second duration signal category, the sample size has diminished to twenty. For 100 second signal durations, there are only two samples and the validity of a standard deviation is highly questionable.

The third table of output (table I7) is the average intra-signal standard deviation. This is the average of the standard deviations reported for individual signals. In the previous example, the STD=4 would be one of a maximum possible 2002 standard deviations to be averaged. If the average intra-signal standard deviation were equal to four, the interpretation would be that for all signals of 100 ms duration, after the unreliable bearings are discarded, the expected standard deviation of the remaining cluster of bearings is four degrees. The term intra-signal is used to distinguish it from the standard deviation of bearing errors.

The fourth table (table V) is the compilation of valid

1SOURCE: WWV 10 MHZ 8:30 2/79
OSTANDARD DEVIATION MULITPLE USED TO DETERMINE BEARING WINDOW = 1

OAVERAGE BEARING ERROR AS A FUNCTION OF SYSTEM NOISE (A4 TERM) AND SIGNAL DURATION

	1 0	6	<u>5</u>	-6	-6	5	5	გ	6	"7	გ	
	0.9	<i>6</i>	-5	-6	6	5	5	6	6	7	6	
М	0.8	 6	-5	6	-6		5	6	გ	"7	გ	
Á	0.7	-6	4	-6	6s	6	5	6	6	7	~ 6	
X	0.6	127	-5	-6	გ	5	ర	6		6	-6	
	0.5	-5	-5	-5	-6		-5	5	5	ბ	-6	
A	0.4	4	-4	4	-5	4	5		5	5	5	
.4	8.0	A	-4	4	4	-3	4	4	4	5	··· A	
	0.2	2	4	2	-3	-3	()	-3	3	5		
	0.1	0	1.	()	()	()	1.	1	···].	()	2	
		100	200	300	400	500	600	700	800	900	1000	

Table II

DFERR Output Page 1, Average Bearing Error

		100	200	300	400	500	600	700	800	900	1000
	0 • 1	50	22	25	25	28	23	24	22	23	22
	0.2	29	31	32	31	28	24	27	28	22	22
4	0.3	29	27	26	25	23	19	20	21	1.8	17
Α	0.4	29	28	26	24	23	21	20	21	17	17
	0.5	31	29	27	24	25	23	20	23	16	17
Χ	0.6	33	30	26	23	25	23	18	23	17	18
Α	0.7	33	30	26	24	25	22	19	20	15	18
М	0.8	33	30	26	24	24	22	19	20	15	19
	0.9	33	30	26	24	24	22	19	20	15	19
	1.0	33	30	26	24	24	22	19	20	15	19

SIGNAL DURATION (MILLISEC)

Table III

DFERR Output Page 2, Standard Deviation of Bearing Error

OAVERAGE INTRA-SIGNAL STANDARD DEVIATION

	1 0	5	8	9	10	1.1	12	1.3	12	1.3	13
	0.9	6	8	9	10	1.1	12	12	12	13	1.3
М	0.8	5	8	9	10	1. O	1.2	12	12	1.3	1.3
A	0.7	5	8	9	10	10	12	12	12	1.3	1.3
X	0.6	5	7	9	10	10	1. 1.	1.1	1. 1.	12	1.3
	0.5	5	7	8	9	9	1.1	11	1.1	1. 1.	12
A	0.4	5	6	8	8	9	1.0	1.0	1.1	1.1.	12
4	0.3	4	6	7	7	8	9	9	1.0	1. ()	10
	0.2	4	4	6	7	7	8	8	9	9	1.0
	0.1	2	3	3	5	3	5	5	7	6	7
		100	200	300	400	500	600	700	800	900	1000

SIGNAL DURATION (MILLISEC)

Table IV

DFERR Output Page 3, Intra-Signal Standard Deviation

ONUMBER OF VALID SIGNALS OF A GIVEN DURATION AS A FUNCTION OF SYSTEM NOISE AND SIGNAL

	1.0	2000	1000	666	500	400	333	285	250	222	200
	0.9	2000	1000	666	500	400	333	285	250	222	200
М	0.8	1997	1000	666	500	400	333	285	250	222	200
Α	0.7	1995	1000	666	500	400	333	285	250	222	200
Х	0.6	1990	1000	666	500	400	333	285	250	222	200
	0.5	1960	993	663	500	400	333	285	250	222	200
A	0.4	1897	974	656	497	399	332	285	250	222	200
4	0.3	1718	911	625	482	390	328	283	249	222	200
	0.2	1312	738	516	409	336	290	258	229	207	187
	0 • 1	717	474	363	291	247	217	191	171	163	1.47
		100	200	300	400	500	600	700	800	900	1000

SIGNAL DURATION (MILLISEC)

Table V

DFERR Output Page 4, Number of Valid Signals

signals for each of the A4MAX and signal duration categories. This is an important statistic needed to compute the probability of obtaining a bearing. In the case of the 100 ms signal duration, 2000 are possible. If A4MAX=0.2 and 1200 signals are valid, the POB for 100 ms is equal to the ratio of valid signals to possible signals. In this case, POB=0.6. In general, as either A4MAX or the signal duration increases, the number of valid signals approaches the number of possible signals. For A4MAX above 0.4 or the signal duration above one second, the POB is approximately one.

DFEFF was used to process all of the files, including the OOK modulated KLC signal. The KLC file required a slightly modified version of DFERR because each record of data was searched for a flag that indicates that the signal is indeed present. Search was also made for flags that indicate that the system is saturated. KLC is considered a file of signals separated by noise. It is not a continuous signal like the WWV signal; in fact, the duty cycle is less than twenty-five percent.

The tabular output produced by DFERR can be considered a second level data base. To simplify follow-on discussions, the statistics in the DFERR output will be referred to as the "FOUR" statistics. Examination of the DFERR data base revealed that the FOUR statistics are a strong function of the A4 term. As the A4 term increases, corresponding to the

acceptance of more inconsistent data, the standard deviation. intra-signal standard deviation and number of valid signals increases. Based on the large standard deviations recorded above A4=0.4 and the insignificant increase in POE above A4=0.4, the range of interest was restricted to A4 values in the 0.1 to 0.4 region. Even with this restriction, the amount of data is too large to present in this report; however, it should be noted that the changes in the FOUR statistics are typically monotonic as A4 varies. The data presented herein is for A4MAX=0.2 and A4MAX=0.4. The best performance category. A4MAX=0.1 is not presented because of its low PCB and because it is not significantly different from A4MAX=0.2

The tabular data of DFERR does not permit easy visual perception of the characteristics of the FOUR statistics. A plot program was written to display the data. The figures at the end of this section are of the WWV 5.10 and 20 MHz files of 1979 (Fig. 10-24) and 1980 (Fig. 25-34). For each frequency there are five graphs. In each set of five, the first two and the last are the most important as tney are concerned with the short duration signals. The second two graphs are for signal durations of one to ten seconds. They included to illustrate how the FOUR statistics tend to are reach steady state values. The fifth graph is the histogram of the bearing errors for A4MAX=0.2 and signal duration equal to 200 ms. Annotated in the upper right hand corner of all

the computer drawn graphs are the average bearing (B. standard deviation (2) and average bearing error (2) for the entire file portrayed by the graph. These are the statistics for a signal duration of 200 seconds subject to the A4MAX constraint labelled on the graph. If one assumes that the true angle of arrival was fixed, that no multipath existed and that there was no slow term variance due to the ionosphere, the curves plotted should converge to the 200 second average bearing error. Both the standard deviation and the average intra-signal standard deviation should converge to the 202 second standard deviation. The POB should converge to one. However, the PROPHET program graphs show that in many cases there probably existed multimode conditions (actual amount of interference unknown) and that, in all cases, varying degrees of variance existed due to polarization fading and interference. Despite this difficulty, the 220 second statistics can be considered an approximate convergence point.

The first curve (X) of each graph is the average bearing error. This is the difference between the calculated bearing and the true geographic bearing to the signal transmitter (337 or 090). The most prominent feature of all the average bearing error curves is that they are not a strong function of signal duration. This could have been anticipated realizing that the average of the majority of small subsets

of a large set will closely approximate the average of the large set. In this respect the average bearing error as signal duration is not particularly useful. A function of much more significant view of the average bearing error is histogram of the bearing errors from each valid signal. A histogram for A4MAX=0.2 and a signal duration equal to 200 ms is the fifth figure in each set of five 14,19,24,29,34). These histograms show that the distribution of the bearing error for most of the files is only roughly approximate to a normal distribution. Major deviations from the normal curve are the accumulation of bearings in the 183 degree ambiguity region and the distributions where multimode propagation was highly probable. The major difficulty with the average bearing error data is the absence of calibration data. The amount of correctable bias error is unknown.

The standard deviation curve (*) is the most important information on the graphs. If a bearing is to be used with other bearings to compute a fix, the standard deviation is used to compute the fix area for a given probability that the target will be within the fix area. The standard deviation is also a measure of confidence in a single bearing. If the bearing distribution is normal and the standard deviation is 20 degrees, one can expect that the bearing calculated is within 20 degrees of the true bearing (assuming average bearing=true bearing) about 67 percent of the time. Because

the distributions for the data files are only roughly normal. amplification of the significance of the standard deviations is pertinent. The following data are the approximate percentages (within five percent) of bearings falling within the standard deviation of each file for a 200 ms signal duration and A4MAX=0.2.

File #	STD	3/ 10
1 (Fig. 19)	31.1	30
2 (Fig. 24)	25.6	35
3	31.1	75
4 (Fig. 14)	15.5	85
5	37.4	90
10 (Fig.29)	59.6	75
11 (Fig. 34)	29.5	95
12 (Fig. 36)	16.2	88
13	19.3	83

This data indicates that the distributions are denser than the normal and that system performance is better than one. thinking in terms of a normal distribution, would believe. For example, in file 11 (Fig. 34) the standard deviation is about 30 degrees, but 95 percent of the data are within the standard deviation. The expression of standard deviation cannot be separated from its distribution and still retain meaning.

Observing the curves (Fig. 10-13. 15-18, 20-23, 25-28, 30-33) the reader will note that the standard deviation is in almost all cases a monotonically decreasing function of signal duration. An interesting comparison is the standard deviation at 100 ms (STD1) and at 10 seconds (STD2), again

with A4MAX=0.2:

File #	STD1	STD2	STD1/STD2
1	2 9	5	5.8
2	25	11	2.3
3	31	13	2.1
<u>4</u> 5	18	5	3.6
5	42	10	4.2
10	57	18	3.2
11	30	4	7.5
12	16	9	1.8
13	17	6	2.8

These results are comparable to those reported by Bain [Ref.8] and consistent in order of magnitude to the time required to average the fluctuating surfaces of constant amplitude.

The third curve (.) is the average intra-signal standard deviation. It is typically a monotonically increasing function of signal duration from 100 ms to 10 seconds. The fact that the intra-signal standard deviation is the smallest at 100 ms indicates that the major factors affecting the variance are not rapidly fluctuating, i.e. the period is larger than 100 ms. The intra-signal standard deviation at 100 ms is small, four to eight degrees, except for file 1% (Fig. 25-28) which was recorded with a low SNR. In this case, a major source of variance was noise and its fluctuations were rapid. As the signal duration increases, the phenomena causing the majority of the variance have more effect within individual signals.

The fourth category of data on the graphs is the

probability of obtaining a line of bearing. The derivation of this number has previously been explained. Its usefulness is a proper subject for operations research; it does not provide the engineer with any useful information about the process of HFDF on short duration signals. However, one does not need a specific operational context to know that high POB is good and low POB is bad.

One can summarize this section by stating: (1) A4 is an effective measure of reliability of the data, (2) the variance is high for short duration signals, (3) the average bearing error is not useful without calibration data and (4) variance improvement with time averaging corresponds in order of magnitude with that predicted by fading phenomena.

Figure 10
WWV 5 MHz 2/79 Short Signal Duration A4MAX=0.2




Figure 11
WWV 5 MHz 2/79 Short Signal Duration A4MAX=0.4




Figure 12
WWV 5 MHz 2/79 Medium Signal Duration A4MAX=0.2





Figure 13
WWV 5 MHz 2/79 Medium Signal Duration A4MAX=0.4






Figure 14 WWV 5 MHz 2/79 Bearing Error Histogram

Figure 15
WWV 10 MHz 2/79 Short Signal Duration A4MAX=0.2




Figure 16
WWV 10 MHz 2/79 Short Signal Duration A4MAX=0.4




Figure 17
WWV 10 MHz 2/79 Medium Signal Duration A4MAX=0.2





Figure 18
WWV 10 MHz 2/79 Medium Signal Duration A4MAX=0.4






Figure 19 WWV 10 MHz 2/79 Bearing Error Histogram

Figure 20
WWV 20 MHz 2/79 Short Signal Duration A4MAX=0.2




Figure 21
WWV 20 MHz 2/79 Short Signal Duration A4MAX=0.4






Figure 22
WWV 20 MHz 2/79 Medium Signal Duration A4MAX=0.2








Figure 24
WWW 20 MHz 2/79 Bearing Error Histogram

Figure 25
WWV 5 MHz 2/80 Short Signal Duration A4MAX=0.2




Figure 26
WWV 5 MHz 2/80 Short Signal Duration A4MAX=0.4




Figure 27
WWV 5 MHz 2/80 Medium Signal Duration A4MAX=0.2





Figure 28
WWV 5 MHz 2/80 Medium Signal Duration A4MAX=0.4






Figure 29 WWV 5 MHz 2/80 Bearing Error Histogram

Figure 30
WWV 10 MHz 2/80 Short Signal Duration A4MAX=0.2




Figure 31
WWV 10 MHz 2/80 Short Signal Duration A4MAX=0.4




Figure 32
WWV 10 MHz 2/80 Medium Signal Duration A4MAX=0.2





Figure 33
WWV 10 MHz 2/80 Medium Signal Duration A4MAX=0.4






Figure 34 WWV 10 MHz 2/80 Bearing Error Histogram

C. LMAT

The previous section detailed the results of accepting data record bearings on the basis of the A4 term. The calculated variances are large and in some cases the corresponding POB is small. There is a strong need to lower the variances and increase the POB to approximately one. To do this requires a more complete use of the data; this includes the AØ and Phase terms.

The theoretical equations of the coexial spaced loops prove the existence of polarization independent nulls in the ideal case. However, the construction of perfect loops and free space siting of these loops is clearly impossible. Recognizing that the spaced loop array does not perform ideally, one attempts to identify the sources of fixed error and correct them with a calibration data set. Other sources of error are random and are described in probabilistic terms. It is usually the case that more than one of the major errors is random. This results in joint probability density functions that are impossible to derive analytically and impossible to isolate in order to measure.

In an attempt to maximize the use of information available without a precise knowledge of either the fixed or random errors, it was decided to take a decision theory approach. An assessment of a bearing's reliability is what is most needed.

The decision to be made is binary; a bearing is reliable or unreliable. Once the bearing reliability is determined, the statistical procedure developed for DFERR can be used to determine a mean bearing. The decision to determine if a bearing is reliable will be based on the likelihood that it is reliable.

As an example, assume the following data records:

Record #	AØ	A 4	Bearing
1 2 3 4	0.113 0.612 0.514 0.815	0.214 0.208 0.421 0.113	340 358 288 305
•	• • •		

The true bearing is known to be 337. Assume that a second data set is recorded on an unlocated target transmitter:


Record #	A∅	A 4	Bearing
1	2 252	a 200	1.05
1	0.056	0.298	105
2	0.822	0.173	Ø42
3	0.109	0.202	093
4	0.666	0.432	Ø87

which record is most reliable? It is known in data set one that the first record is the most reliable because its bearing is the most accurate. Using the maximum likelihood (ML) criterion, one would estimate that the record in data set two that most closely resembles record one of data set one is the most reliable. By ML criterion record three would be selected because its AO and A4 parameters are the closest match to record one of the first data set. In this scheme

there is no filtering on preset AØ or A4 limits. If the lowest level of AØ and A4 were the reliability criterion, record one of the second data set would have been selected as the best estimate. The advantage of the ML criterion is that it is a "use what works" technique. The deductive approach of analysis of the system and errors is discarded because it is too complicated. Instead, the inductive technique of observing and classifying provides the more attractive approach in this case.

To use the ML criterion with the SWRI data files one must expand upon the ideas presented in the example. Define two matrices, a bearing acceptable and a bearing unacceptable matrix. Each matrix is three dimensional; a dimension is allotted to A%, one to Phase and the third to A4. This spans all the information in a data record. A@ is a measure of the horizontal field component; Phase is a measure of polarization; and, A4 is a measure of system inconsistency. These three measures are not sufficient to completely specify system performance; in fact, they are not sufficient to completely specify the horizontal field component. polarization or system inconsistency. They are what is available. Each dirension is divided into ten increments. The A4 dimension values are between Ø and increments of $\emptyset.1$. The Phase dimension is between -180 and +180 in increments of 36 degrees. The structure of both

matrices can be sketched as:



The matrices are defined to be expressions of the conditional probability mass. They are created by using a file or files of data on a target of known position. Knowing the true bearing permits one to address either the bearing acceptable or tearing unacceptable matrix. Further explanation is best presented using an example. The following records are available from a data set with a true bearing known to be 337 deg:

Record #	A $\mathcal Z$	Phase (deg)	A 4	Bearing (deg)
1	0.911	-43	0.621	286
2	0.813	-64	0.518	273
3	0.517	120	0.231	357
4	0.342	72	0.185	340

All the elements of the bearing acceptable and unacceptable matrices are initialized at zero. The criterion

for placement in one matrix or the other is the value of the bearing. A window about the true bearing is defined. If the window is defined as 10 degrees, a bearing is acceptable if it is within 5 degrees either side of the true bearing. Each record in a file is examined. Record number unacceptable because the bearing value is not in the 332-342 deg window. Therefore, its A@, Phase and A4 values are mapped into increments along the respective dimensions of the unacceptable matrix, thereby addressing one of the elements of the matrix. A one is added to the contents of this element. Each record in turn is examined .and a one is added either to an element in the bearing acceptable or the bearing unacceptable matrix. (Record number four is an example of a record that would apply to the bearing acceptable matrix. After all records have been processed, each element in the bearing acceptable matrix is divided by the number of records that contributed to that matrix. Similarly, the elements the bearing unacceptable matrix are divided by the number of records that contributed to it. This produces an expression of conditional probability. If a bearing is acceptable, the probability of it having a particular AO. Phase and A4 value is equal to the value in the acceptable matrix addressed by the given A@. Phase and A4 values. Likewise, if a bearing is unacceptable, the probabilities of its AZ. Phase and A4 values can be read from the element addressed by those

values.

The acceptable and unacceptable matrices are constructed from data on a located target. If one processes a file of data on an unknown target, the matrices are used as follows. Using the A2. Phase and A4 values to address both of the matrices, the element values of the matrices are compared. Suppose the value from the acceptable matrix is 7.211, and from the unacceptable matrix, it is 2.097. The ML criterion makes the decision for the matrix with the nignest probability (maximum likelihood). 2.211 is the highest value; therefore, the decision is that the bearing is acceptable.

The requirement to address two matrices and compare the returned values can be eliminated by forming a single likelihood ratio matrix. This matrix is constructed by dividing each element of the bearing acceptable matrix by the corresponding element of the bearing unacceptable matrix. The decision can be made on a single element of the likelihood ratio matrix (also simply called likelihood matrix or denoted as [L]). In the example above, the ratio of the two values is 2.175. The decision is that a bearing is acceptable if the addressed element of the likelihood matrix is greater than or equal to one. If less than one, the bearing is unacceptable.

The above ideas can be set into mathematical notation as follows. Matrices are denoted with brackets. The elements of a matrix are indexed with i.j.x in the general case.

[A]: bearing acceptable matrix
[U]: bearing unacceptable matrix
[A (i,j,k)] = [A (AØ,Phase,A4)]
[U (i,j,k)] = [U (AØ,Phase,A4)]
Na = number of records tabulated in [A]
Nu = number of records tabulated in [U]
Na + Nu = (10000) X (number of files used)

The probability mass matrices are:

$$[Pa] = (1/Na)[A]$$

 $[Pu] = (1/Nu)[U]$

The maximum likelihood (ML) criterion can be used to decide the acceptability of a bearing. Let the record be $\{A\partial=\alpha, Phase=\beta, A4=\gamma, Po\}$, then,

where, the decisions D1 and D2 are.

D2: Bearing is acceptable

D1: Bearing is unacceptable

If A > U, the decision is D2; if A < U, the decision is D1.

This comparison process can be simplified and at the same time be made more flexible by defining a likelihood ratio matrix [L]:

$$[L] = [Pa] \oplus [2u]$$

where the symbol (\bigoplus) means to divide each element of the matrix [Pa] only by its i,j,k counterpart in [Pu]. (Define x/2 = infinity.)

The ML criterion can be rewritten as:

0 7

$$L_{\alpha_{\circ}\beta_{\circ}\gamma_{\circ}} \stackrel{\text{D2}}{\geq} 1$$

The above idea can be extended to the Minimum Probability of Error (MPE) and the Bayes Cost (BC) criteria straightforwardly:

The terms on the right side of the decision symbols are matrices. The ratio of P{Bacceptable} to P{Bunacceptable} must be determined separately for each element of the matrix.

The same will probably be true for the Bayesian costs. The MPE and BC criteria are more sophisticated and will probably yield better results, but data limitation prevented further investigation. Very large amounts of data would be needed to determine probability ratios for each element of a 10x10x10 matrix. It would also require a operational input for a realistic assessment of Bayesian costs.

Using the above concepts. the FORTRAN program LMAT was written to produce the likelinood ratio matrices [L] from individual files and from groups of files. Testing of the method centered on the 15 MHz files because they are the most numerous for a single frequency (three files). An L matrix was created from file 3 for two separate definitions of "bearing acceptable". The first, denoted L[3.90], considered the bearing acceptable window to be ninety degrees wide. The second, L[3.20], used a twenty degree window to construct the matrix.

Using the L matrices. several data files were processed employing the program LFILE (L matrix modified FILE). This program reads the AØ, Phase and A4 term of each record and uses them to address the L matrix. If the element addressed is greater than one, the bearing in that record is considered acceptable, and the record is written into a new data file with a new A4 term equal to Ø.21. Only the A4 term is changed. The new data file is subsequently processed by DFERR

which will always treat an acceptable bearing (A4=0.01) as valid for statistical processing. If the L matrix element addressed is less that one, the bearing is unacceptable and assigned the A4 value 10.0 in the new data file. DFARR will reject any bearing with this large A4 value.

The file of interest is the 1990 15 MHz file. Figure 35 is the result of simple DFERR processing on this file; figure 36 is the histogram of the bearing error. Several examples of L matrix processing on this file are graphed in figures 37, 39 and 41. The explanation of these graphs is identical to the explanation given in the previous section. It will be noted , however, that the graphs are labelled with the L matrix notation. The A4MAX term is not applicable. Each graph has an accompaning histogram of the bearing error. Figure 37 is the file processed by an L matrix made from the file itself. Figure 39 is the file processed by an L matrix created from a 1979 file at the same frequency. Figure 41 is the file processed by an L matrix created from four 1979 WWV files at different frequencies. Not unexpectedly, the best performance is by the L matrix formed from the file itself (Fig. 37). But is interesting to note that the L matrix created from the single file of identical frequency (Fig. 39) performed better than the matrix made up from the four files (Fig. 41). This tends to confirm frequency sensitivity in the L matrix. It may prove valuable to add a frequency dimension, making the L

matrix four dimensional.

A considerable amount of processing was devoted to determine an optimum window for the likelihood matrix. No one window width outperformed other widths in all categories. The central difficulty is that one thousand elements in the L matrix must be determined. Accuracy in terms of ML for element is a limiting process; as the number of bearings used determine each element approaches infinity, the true ML ratio is determined. To approximate the infinite sample ML ratio within 10 percent would require very roughly 100 records per element. But some elements are rarely addressed; therefore, large amounts of data are needed to fill the L matrix. The amount of data can be estimated in a very rough way. Using four files and a ninety degree window, it was observed that about 40 percent of the matrix elements are addressed zero or one times. If the requirement is that the probability of this happening should be less than 0.201. the expression $(\emptyset.4) = (\emptyset.001)$ determines the number (n) of sets of four files required. In this case about thirty files would be required. This corresponds to 300.000 records or 100 minutes of data. This is an easily achieved number at the antenna system development site.

The most overall successful runs were made with a ninety degree window. In table VI are the results of processing the 1980 data files with a likelihood matrix constructed from the

1979 data. The first four 1979 files were used; the fifth, a second 15 MHz file. was not included to avoid a possible dominant 15 MHz bias. The data in table VI is the variance and POB from simple DFEPP processing (A4MAX=0.2) and from L matrix processing (L(1-4.90)). For the 1980 5 MHz file the variance is high in either case. Starting at 300 ms signal duration, the L matrix processing has a lower variance, and as the signal duration increases. L matrix processing is better and better compared to DFERR processing. Pernaps much more significant is that the L processing has a much higher POB. With the 1980 10 MHz file. L matrix processing is superior at every signal duration. This is also true for the 15 MHz file. This is a significant result. L matrix processing is generally superior to the A4 filter process of DFERR. In some cases the variance is halved and the POB is more than doubled. However, performance against KLC is poorer be seen in the table. For the shortest signal durations, the L matrix variance is higher than DFEFR processing. but the two approach each other past 500 ms. The POB is slightly higher for the L matrix process.

The results in table VI are very encouraging. A matrix created from 1979 data significantly outperformed DFERR processing on the 1980 data. The pocrer results for KLC are not surprising. WWV bears 337 deg from San Antonio, and KLC bears 190 deg. The antenna array which is mounted atop a

horizontally girded building suffers pattern distortion due to antenna element coupling with the building. The distortion to the pattern is dependent both on the azimuth and elevation angle at which the signal arrives. In fact, the KLC results are encouraging. The fact that L matrix processing and DFBRR processing results are so close suggests that azimuthal dependence is not an overiding factor. It may be possible to achieve acceptable results using L matrices created from azimuth sector data. If a first guess is that a bearing is in the sector 21% to 27%, post processing could use an L matrix specifically created for that 60 degree sector. In all six L matrices would be required to cover the full azimuth.

The optimism expressed above must be tempered by the fact that the technique and the results were derived with an inductive approach. A theoretical basis with which the L matrix success could have been predicted was not derived. L matrix success was observed, not predicted. Confidence that the technique is functional in the general case will require observation in situations where frequency, azimuth. SNR, vertical angle of arrival, polarization, shipboard siting and propagation modes are varied.

TABLE VI

Comparison of DFERR and L Matrix Processing For all DFERR processing, A4MAX=0.2. For all L matrix processing, the L matrix is L(1-4.92).

Signal	Duratio					620	702	800	982	1000
WWV 5 MHz 20:40 2/6/80										
STD DFERP LMAT	57 62	59	58	59	59	63	61	58 36	62 36	55 35
POB DFERR LMAT	.11		. 52			.83 1		.91 1		
WWV 10 MHz 7:40 2/5/80										
STD DFERR LMAT	3Ø 29							16 9	1 Ø 5	11 6
POB DFERR LMAT	.73 .90	.98	.95 .99	.97	.99 1	.99 1	1	1 1	1	1
₩W 15 MHz 9:00 2/5/80										
	16 13								9 1 <i>3</i>	
POB DFERR LMAT	.83 .81	.86 .86	.87 .88	.88 .90	.89 .91	.89 .91	.98 .92	.90	.91 .94	
KLC 8.666 MHz 8:15 2/7/8₹										
	17 23		16 22							
POB DFERR LMAT	.22 .26	.35 .38	.42	.43 .46	.46 .48	.47		.5% .52	.52 .52	

Figure 35
WWV 15 MHz 2/80 Short Signal Duration A4MAX=0.2




Figure 36
WWV 15 MHz 2/80 Bearing Error Histogram A4MAX=0.2

Figure 37
WWV 15 MHz 2/80 L(12,90)

SDLRCE: VVV 15M 5:CC 2/80 L(12,90)

AVE BEARING ERROR (DEGREES): X
STD OF BEARING ERROR (DEGREES): *
AVE OF INTRA-SIGNAL STC (DEGREES): .





Figure 38
WWV 15 MHz 2/80 L(12,90) Bearing Error Histogram

WWV 15 MHz 2/80 L(3,90)

SCURCE: WWV 15M 5:CC 2/8C L(3,90)

AVE EEARING ERRER (DEGREES): X
STD OF BEARING ERROR (DEGREES): *
AVE OF INTRA-SIGNAL STD (DEGREES): .







Figure 40
WWV 15 MHz 2/80 L(3,90) Bearing Error Histogram

SOURCE: NAV 15M 9:00 2/80 L(1-4,90)

AVE BEARING ERROR (DEGREES): X STO OF BEARING ERROR (DEGREES): * AVE OF INTRA-SIGNAL STO (DEGREES): .






Figure 42
WWV 15 MHz 2/80 L(1-4,90) Bearing Error Histogram

D. AMBIGUITY RESOLUTION

histograms of the average bearing error demonstrate The one of the difficulties with the SWFI spaced loop antenna system in trying to DF short duration signals. It can be seen by looking at the histograms that there are bearing error numbers that cluster in relatively large values at points and 90 degree ambiguity. This corresponds to the antenna null in the antenna array system deciding on the wrong pattern. The severity with which this can affect the calculated variance is graphed in figure 43. This equation developed from in appendix an demonstrates that a small number of ambiguities have a very significant effect on the variance. The graph assumes 1000 bearings constitute the total sample. All the ambiguities are at 180 degrees. The abscissa is the number of 180 degree ambiguities. The ordinate is the ratio of the new variance to old variance which is set at twenty degrees squared. If, for example, there are ten 180 degree ambiguities in original sample and they are removed, the new standard deviation will be less than ten degrees squared. In the case many small sets representing short duration signals, evaluated separately, the reduction in variance will larger than that predicted in figure 43.

To examine the effect of removing the ambiguities from the

the A4 value to 10.0 for every record which is within a narrow window about the 90 and 180 degree ambiguities. Setting the A4 to such a large value permitted the use of the DFERR program which automatically rejects records with such a high A4 term. This test was run on several data files and the results are displayed in figures 44 and 45. It can be seen that sharp decreases in variance occur, serving to make the bearing estimate more reliable.

The resolution of ambiguities with narrow aperture systems a difficult problem. The algorithms are especially sensitive to vertical angle of arrival, low SNR and multimode propagation. Time averaging, if the signal is sufficiently long, can overcome multimode propagation, but vertical angle arrival is very dependent on array geometry, and SNR is often totally uncontrollable. The spaced loop array ambiguity problem may be due to equipment errors, but it is more likely that the physical limitation of the aperture is the primary difficulty. The aperture is insufficient to sense wavefront distortions or to sharply isolate pattern nulls. In the case burst communications, time averaging is impossible. The narrow aperture array must be assisted by wide aperture elements to work against short duration signals. If a spaced loop array is mounted aboard a naval vessel. it may possible to add a simple loop element at the bow and stern

and two amidships. This simple cross shaped interferometer array would be medium aperture. By itself it would not provide reliable HFDF, but it could improve the reliability of the narrow aperture system by sensing wavefront distortions and providing deep, well defined nulls to resolve ambiguities.




Figure 43
Ambiguity Suppression Curve




Figure 44
Ambiguity Suppression for WWV 5 MHz 2/80




Figure 45
Ambiguity Suppression For WWV 15 MHz 2/80

VI. CONCLUSIONS AND RECOMMENDATIONS

A. CONCLUSIONS

1. Performance and the Ionosphere.

The narrow aperture antenna is physically incapable of spatially sensing phase or amplitude wavefront distortions that have spatial periods of many wavelengths. This innerent disadvantage must be overcome by time averaging. Under the assumption that wavefront distortions fluctuate about undistorted wavefront (the mean wavefront), the minimum time necessary to average out the distortions is equal to period of the primary phenomena causing the distortion. The most severe distortions occur with multimode interference when two or more rays are comparable in amplitude. In this case the time required to average out the fluctuations is the fading period of the major spectral component of the fading power spectrum, roughly on the order of ten seconds for an HF signal. This means that a narrow aperture antenna cannot reliably determine the direction of arrival of a burst transmission in the presence of severe multimode interference. As the severity of distortion reduced, the reliability of DF is improved. In the case of the SWRI spaced loop HFDF system, the range of standard deviation for the 200 ms signals studied here is from 15 degrees for signals systhesized from data in file 4 to 59 degrees for signals synthesized from data in file 10. The average standard deviation over the nine data files is 29.1 degrees. These data files are believed to include both multimode and single mode signals and signals with high and low SNF's.

2. Performance Specifications

The performance of a narrow aperture HFDF system against short duration signals is very dependent on ionospheric propagation. Therefore, the performance of the system cannot be specified separately from specifications on the state of the ionosphere. To state that a system must perform with a given standard deviation of bearing error during quiet ionospheric conditions with single mode propagation is much different from requiring the same standard deviation of bearing error during disturbed ionospheric conditions or with multimode propagation.

3. Fading and Bearing Reliability

There are several sources of fading in ionospheric propagation; however, fading can be considered a good measure of the distortion of local constant phase and constant amplitude wavefronts. If fading is severe, on the order of 22

db, one can be confident that significant distortion is occurring to the wavefront and that narrow aperture derived DF bearings on short duration signals will be generally unreliable.

4. Likelihood Ratio Matrix

The concept of using a likelinood matrix developed from given, reliable data to make a binary (acceptable or not acceptable) decision on a random data set has not been fully explored. However, the results from the limited processing are very encouraging. It should prove possible to develop appropriately sized and numbered L matrices capable of significantly outperforming algorithms based only on filtering by parameter limits.

5. Ambiguity Elimination

The filtering to eliminate 90 and 180 degree ambiguities demonstrated that a significant reduction in bearing variance can be accomplished if the source of the ambiguities can be corrected. It is doubtful, however, that the correction can be accomplished without the introduction of supportive medium aperture interferometer elements.

B. RECOMMENDATIONS

1. Use of All Ionospheric Data

HFDF with narrow aperture antennas on short duration signals must maximize the use of as much real time information as possible on the ionosphere. Evaluation of the vertical angle of arrival and polarization is needed to help determine if a ground wave or a skywave turst transmission is being received. The vertical angle of arrival will further permit an estimate of range. The range and vertical angle of arrival information should be used with a propagation prediction program to make an overall evaluation of the reliability of a calculated bearing based on predicted ionospheric induced bearing variance. To improve the propagation prediction program, real time measurements of ionospheric parameters are needed. This could be accomplished by updated inputs of geophysical data, shipboard ionospheric sounders, solar observations, data derived from satellite beacons and the use of geographically fixed transmitters as beacons. The provision of this information will probably not permit the calculation of a more accurate bearing, but it will help to determine the reliability of the bearing (the variance of the bearing).

2. Use of All Signal Parameter Data

Various receiver parameters, especially the AGC voltage, should be monitored to estimate the fading of a signal. A large variation of the AGC voltage could signify fading and somewhat reduce the confidence in the calculated bearing. A small variation in the AGC voltage would be inconclusive.

3. Detailed Performance Specifications

The specifications for the required performance of a narrow aperture antenna system must include the ionospheric conditions under which performance is to be measured. An example specification is that a system must have an average bearing error of five degrees and a standard deviation that encompasses at least 67 percent of the data when the signal is received in the 20 meter band via a predominantly one nop propagation path. The signal power of other propagation modes should be 30 db below the primary mode, and the SNR against background noise should be at least 12 db. To conduct such measurements aboard a ship may require that the ship be positioned close to a wide aperture array that would be able to resolve the local mode structure of a known target transmitter's signal.

4. Likelinood Ratio Matrix Technique

Though the results of using the probabalistic likelihood matrix were were not totally conclusive, it is recommended that this approach be further investigated. The strong appeal of the likelihood matrix approach is the maximum use of information in an imprecisely known and imprecisely knowable environment. Further investigation should include the following areas. Optimize the dimensions of the likelihood matrix, perhaps eliminating the phase dimension. Define the likelihood matrix in terms of the minimum probability of error criterion instead of the maximum likelihood criterion. Define the likelihood matrix in terms of Bayesian costs and compare the results with those of maximum likelihood and minimum probability of error. Determine the frequency, SNR and fading sensitivies of the likelihood matrix. Of greatest value and greatest difficulty would be a general theoretical development of the likelinood matrix in terms of the spaced loop system parameters. It may prove to be the case that the likelinood matrix could concisely store calibration data. This could be calibration in azimuth, elevation, polarization, frequency and SNR, all in finite number of likelihood matrices. Using the measurements of frequency and SNR and the estimates of azimuth, elevation and polarization, a stored likelihood matrix would postprocess system data to refine the pearing

estimate.

5. Ambiguity Diagnostic Algorithm

There is a need to develop a diagnostic algorithm that will use a known. fixed transmitter to tabulate ambiguity errors as a check of system sensitivity and of the phase sensing elements, particularily the phasemeter.

6. Medium Aperture Aid

The spaced loop array does not provide reliable data for various important tactical situations. The variance associated with a burst signal bearing is too large for most fix and targeting algorithms. To improve performance, the feasibility of adding a simple medium aperture interferometer should be investigated.

APPENDIX A

AVERAGE AND STANDARD DEVIATION CALULATIONS ON BEARINGS

The computer programs used in the analysis portion of this report computes average and standard deviation of bearings. These statistical calculations are straightforward, but not in the form generally recognized. In this report, bearings have been treated as integers in the set δ to 359. When calculating averages of bearings that overlap the δ -359 boundary, it must be taken into account that 359 differs from δ by only one degree. For this reason the following formulas were developed.

Assume that n bearings are available for averaging:

Normally the average would be calculated by:

$$B = (1/n) \sum Bi$$

Fewrite the bearings in terms of a reference bearing. B ref and a difference Δ i.

$$Bi = B ref + \Delta i$$

Then.

$$B = (1/n) \sum (B ref + \Delta i) = B ref + (1/n) \sum \Delta i = B ref + \overline{\Delta}$$

Average bearing = Reference Bearing + Average Difference

It is most convenient to let B ref = 0; then,

$$\overline{B} = \overline{\Delta}$$

However, the greatest difference allowed in a closed set \emptyset to 359 is 180; therefore, max = 180, and the conditional definition is:

$$\triangle$$
i = Bi if Bi < 180
 \triangle i = Bi - 360 if Bi > 180

Now the average formula can be written:

$$B = (1/n) \sum \Delta i$$

subject to the conditional definition of , which is easily implemented in FORTPAN.

For the standard deviation, a typical formula is:

$$\sigma_{\mathbf{g}}^{2} = (1/n) \sum_{\mathbf{g}} \mathbf{g}^{2} - (\mathbf{g})^{2}$$

Again let:

$$\triangle$$
 i = Bi $\emptyset \le$ Bi \le 180
 \triangle i = Bi $-$ 360 180 $<$ Bi \le 360

Then, in a like manner,


$$G_{\mathbf{B}}^{2} = (1/n) \sum \Delta \mathbf{i} - ((1/n) \sum \Delta \mathbf{i})^{2}$$

APPENDIX B

AMBIGUITY SUPPRESSION VARIANCE EQUATION

In the analysis portion of this report, the results of suppressing 90 and 180 degree ambiguities from a bearing data set were discussed. The equation used to describe the significance of ambiguity suppression is derived in this appendix.

Assume that a histogram of bearing errors closely approximates the probabiltiy density function p(b), where p(b) is sketched as:



The delta functions represent that portion of the histogram due to ambiguities. The function g(b) is general; the only restriction associated with it are that the origin of the baxis coincide with the mean of g(b) and that g(b) be wide compared with the distribution of the ambiguities.

One writes p(b) as:

$$p(b) = g(b) + (P/2)\delta(b+180) + L\delta(b+92) + R\delta(b+92) + (P/2)\delta(b-180) + (P/2)\delta(b-180)$$

Using
$$\int p(b) db = 1$$

and $\int g(b) db + P + L + R = 1$
then $\int g(b) db = 1 - (P + L + R)$ (2)

The variance of p(b) is:


$$VAR[B] = \int b^{2}p(b) db - \left[\int b \ b(b) \ db\right]^{2}$$

$$\int b \ p(b) \ db = \int b \ g(b) \ db + (P)(180)^{2} + (L+P)(90)^{2}$$

$$\int b \ p(b) \ db = 0 + (L)(-90) + (R)(90) = (R+L)(90)$$

$$VAR[B] = \int b^{2}g(b) \ db + (P)(180)^{2}(L+R)(90)^{2}(F-L)^{2}(90)^{2}$$
(3)

If the ambiguities are eliminated, a new pdf g'(b) results.



g'(b) is a scaled version of g(b); therefore.

K g'(b) = g(b) where K < 1
$$\int g'(b) \, db = 1 \implies \int g(b) \, db = K$$

combining this with (2) yields:

$$K = 1 - (P + L + R)$$
 (4)

The variance of the new pdf is:

$$VAR[B'] = \int_{b}^{2} g'(b) db - \left[\int_{b}^{2} g'(b) db \right]^{2}$$

$$\int_{b}^{2} g'(b) db = (1/K) \int_{b}^{2} g(b) db$$

$$\int_{b}^{2} g'(b) db = \emptyset \quad (by \text{ assumption. centered at the origin}$$

$$VAR[P'] = (1/K) \int_{b}^{2} g(b) db \quad (5)$$

Substitute (5) into (3) and solve for the new variance:

$$VAR[B] = K VAR[B'] + (P)(180) + (L+R)(92) - (R-L)(90)$$

$$VAR[B] + ((R-L)^{2} - (L+R) - 4P)(90)^{2}$$

$$1 - (P + L + R)$$
(6)

Equation (6) is the expression that approximates the new variance of a general distribution when the ambiguities are eliminated. There is one condition that must be observed. Because variance is always a positive quantity, the numerator of (6) must be a positive quantity. (The denominator is quaranteed to be positive.) Therefore.

 $VAR[B] + ((R-L)^2 - (L+R) - 4P)(90)^2 > 0$ which can be re-expressed as.

$$\sigma_{\rm g}^{2} > 90 \left[4P + (L+R) - (R-L)^{2} \right]$$
 (7)

APPENDIX C

PROPHET

The data used to compile the information of Table I was provided by Mr. Bob Pose of Naval Ocean Systems Center (NOSC). The diagrams included in this appendix are some examples of the graphical output available from the ionospheric prediction program PROPHET.

Figures 46 and 49 are ray trace plots of the signal path from WWV at Boulder, Colorado, to San Antonio Texas. The necessary inputs to the program are the date, time and geophysical data. The date and time were selected to correspond with the SWRI spaced loop antenna data. The sunspot number and x-ray flux were determined from published geophysical data. The 10.7 cm flux is a number that can be determined from the sunspot number. PROPHET also requires the transmitter's location, power and gain which in the case of WWV was determined from published sources. The traces represent the signal at launch angles from Ø to 50 degrees in 5 degree increments; the traces are framed in a spatial range. The receiver's coordinate system, altitude versus location is denoted by an asterisk at the correct distance along the range axis. This distance is the great circle arc connecting the transmitter and receiver.

Refraction causes the traces to bend back to the Earth unless the launch angle is sufficiently high to permit the ray to escape the Earth. This is the case for the 50 degree launch ray in figure 46. Multimode occurs when ray traces cross each other and return to the surface at approximately the same position. In figure 49 there is a potential multimode condition at the receiver. The severity of multimode interference depends on the strengths of the multihop traces after reflection at the surface of the Earth and D layer absorption.

Figures 47 and 50 are relative power diagrams in a frequency versus 24 hour coordinate system. The curves are relative power contours. The top cuve represents the MUF, and its relative power value is -30 db. The bottom contour is the LUF, and it too has a relative power value of -30 db. As one works inward from the outer two contours, each succeeding contour is a +12 db higher than its cutside neighbor. The inside contours may reach values of +10 and +20 db. The actual power received is dependent upon the transmitter power and the propagation conditions.

Plots of ionospheric induced variance are shown in figures 48 and 51. The values of variance are especially useful for direction finding work in that they are a measure of error induced by the ionosphere independent of any HFDF system. The values are calculated from empirically derived formulas. The

first order effect is frequency dependent, and the second order effect is based on the Poss curve of variance as a function of range. Peference 13 is the NOSC documentation on the development of the empirical formulas. Figures 48 and 51 show that variance is typically between 1 and 2 degrees squared with occassional sharp peaks reaching 3 degrees squared for about one hour duration. The major peak at 13372 is due to surrise effects (terminator).

Additional information on the capabilities of PROPAET can be obtained from NOSC.

:>

```
SUNSPOT NUMBER = 181

10.7 CM FLUX = 225

X-RAY FLUX = 1.000E-004

LAUNCH ANGLES:

MIN = 0.0 DEG

TPM/NUE

MAX = 50.0 DEG

INC = 5.0 DEG
```

TRANSMITTER: BOULDER
40.8N, 105.1W
POWER = 10000 WATTS
ANTENNA GAIN = 0 dB
FREQUENCY = 15000.0 kHz

RECEIVER: SA
29.5N, 98.6W
RANGE = 1387 KM
BEARING = 152.9 DEGREES




Figure 46
WWV 15 MHz 2/5/80 Ray Trace

TRANSMITTER: BOULDER

40.8N, 105.1W

POWER = 10000 WATTS

ANTENNA GAIN = 0 dB


FREQUENCY = 10000.0 kHz

RECEIVER: SA

29.5N, 98.6W

1387 KM RANGE =

BEARING = 336.6 DEGREES



:>

Figure 47 WWV 10 MHz 2/5/80 Relative Power Diagram

:>




Figure 48
WWV 15 MHz 2/5/80 24 Hour Variance Diagram

:>

13 FEB 1979 18302 SUNCPOT HUMBER = 151 10.7 CM FLUX = 194

X-RAY FLUX = 1.000E-004

TRANSMITTER: BOULDER 40.SH, 105.1W POWER = 10000 WATTS ANTENNA GAIN = 0 dB FREQUENCY = 15000.0 kHz LAUNCH ANGLES:

50.0 DEG TPM/NOSC @ MIN = MAX =

INC =

RECEIVER: SA

29.5N, 98.6W

RANGE = 1387 KM

BEARING = 152.9 DEGREES




Figure 49 WWV 15 MHz 2/13/79 Ray Trace

13 FEB 1979 **10000** SUNSPOT HUMBER = 151 10.7 CM FLUN = 194 N-RAY FLUX = 1.000E-004



TRANSMITTER: BOULDER

40.8H, 105.1W

POWER = 10000 WATTS

ANTENNA GAIN = 0 dB


FREQUENCY = 10000.0 kHz

RECEIVER: SA

29.5N, 98.6W

RANGE = 1387 KM

BEARING = 336.6 DEGREES



:>000000000000

Figure 50

WWV 10 MHz 2/13/79 Relative Power Diagram

:>




Figure 51
WWV 10 MHz 2/13/79 24 Hour Variance Diagram

```
DFERR
                                                                                                                      BRG06210
                                                                                                                      BRG06220
 THIS IS A PROGRAM TO CALCULATE DE ERROR STATISTICS OF THE SWRI SPACED LOOP ANTENNA SYSTEM. A GIVEN SET OF BEARINGS IS ANALYZED TO FIND THE MEAN AND STANDARD DEVIATION. THESE STATISTICS ARE USED TO RE-EVALUATE THE DATA SET BY TRIMMING OFF BEARINGS WITH LARGE DEVIATIONS FROM THE MEAN. A NEW MEAN IS CALCULATED AND COMPARED TO THE TRUE BEARING TO FIND THE ERROR. STATISTICS ARE THEN COMPUTED FOR GIVEN SIGNAL DURATION ACROSS THE ENTIRE DATA SET AND FOR SELECTED VALUES OF A4 WHICH IS A MEASURE OF SYSTEM NOISE.
                                                                                                                      BRG06230
                                                                                                                      BRG06240
                                                                                                                     BRG06250
                                                                                                                      BRG06269
                                                                                                                      BRG06270
                                                                                                                      BRG06289
                                                                                                                      BRG06290
                                                                                                                      BR G06300
                                                                                                                      BRG06310
         LOGICA.*1 SOURCE(30)/30** */
INTEGER*2 NBRG2
DATA CLR/'LR'/, CSR/'SR'/, CSA/'SA'/
DIMENSION NBVEC(5000), A4VEC(5000), NDATA(10, 10, 4)
FOR CP/CMS, MJST REFORMAT DSRN 01
                                                                                                                      BRG06320
                                                                                                                      BRG06330
                                                                                                                      BRG06340
                                                                                                                      BRG06350
                                                                                                                     BRG06360
                                                                                                                     BRG06370
C
                                                                                                                      BRG06380
         WRITE(10,600)
WRITE(10,601)
                                                                                                                      BRG06390
                                                                                                                      BRG06400
         READ(5,500) SOURCE
                                                                                                                      BRG06410
         WRITE(10,602)
                                                                                                                      BRG06420
         READ(5,501) VREC
                                                                                                                      BRG06430
         WRITE(10,603)
                                                                                                                      BRG06440
         READ(5, 502) MINS
                                                                                                                      BRG06450
         MINS=MINS/20
                                                                                                                      BRG06460
         WRITE(10,604)
                                                                                                                      BRG06470
         READ(5,501) MAKS
                                                                                                                      BRG06480
         MAXS=MAXS/20
                                                                                                                      BRG06490
         WRITE(10,605)
                                                                                                                      BRG06500
         READ(5,502) NINC
                                                                                                                      BRG06510
         NINC=VINC/20
                                                                                                                      BRG06520
         WRITE(10,606)
                                                                                                                      BRG06530
         READ(5,503) NTBRG
                                                                                                                      BRG06540
         WRITE(10,607)
                                                                                                                      BRG06550
         READ (5,504) NSTD
                                                                                                                      BRG06560
                                                                                                                      BRG06570
  CALCULATE ROTATION SHIFT TO SIMPLIFY DETERMINATION OF BRG ERROR
                                                                                                                      BRG06580
                                                                                                                      BRG06590
                                                                                                                      BRG06600
         NSHIFT=360-NT3RG
                                                                                                                      BRG06610
         UP LOOP FOR A4MAX INCREMENTING
                                                                                                                      BRG06620
                                                                                                                      RRG06630
         DO 100 I1=1,10
                                                                                                                      BRG06640
         A4MAX=J.1*FLJAT(11-11)
                                                                                                                      BRG06650
                                                                                                                      BRG06660
   SET UP LOOP FOR SIGNAL DURATION DECLARATION
                                                                                                                      BRG06670
                                                                                                                      BRG06680
```

```
DO 101 JI=MINS.MAXS.NINC
                                                                                   BRG06690
      NC1=0
                                                                                   BRG06700
      NC2=0
                                                                                   BRG06710
      M2 = 0
                                                                                   BRG06720
      M3 = 0
                                                                                   BRG06730
      M4 = 0
                                                                                   BRG06740
                                                                                   BRG06750
      M10 = 0
      M12 = 0
                                                                                   BRG06760
                                                                                   BRG06770
      UP LOOP TO READ THRU ENTIRE FILE
                                                                                   BRG06780
                                                                                   BRG06790
      M5=NREC/JI
                                                                                   BRG06800
      00 \ 102 \ K1=1.45
                                                                                   BR G06810
                                                                                   BRG06820
      UP LOOP TO READ NUMBER OF RECS CORRESPONDING TO SIG DURATION
                                                                                   BRG06830
                                                                                   BRG06840
       DO 103 L1=1,J1
                                                                                   BRG06850
      READ(1,505,EN)=201,ERR=103) 44,SS,NBRG2
                                                                                  BRG06860
      NBRG=NBRG2
                                                                                   BRG06870
 IF SS=', 'SR', OR 'SA'LF', THE REFERENCE SIGNAL IS LOW AND THE RECORD SHOULD BE DISCARDED. THIS IS DONE BY SETTING THE A4 TERM = 10.0
                                                                                   BRG06880
                                                                                  BRG06890
      IF(SS.EQ.CLR.JR.SS.EQ.CSR.JR.SS.EQ.CSA) A4=10.0
                                                                                  BRG06900
C
      COUNT TOTAL NUMBER OF RECORDS READ WITH NC2
                                                                                   BRG06910
      NC2=VC2+1
                                                                                  BRG06920
      A4VEC(L1) = A4
                                                                                  BRG06930
      NBVEC(L1)=NBRG
103
                                                                                   BRG06940
                                                                                  BRG06950
NBVEC NOW CONTAINS BRGS FOR GIVEN SIG DURATION. A4VEC CONTAINS
                                                                                  BRG06960
 A4 VALUES ASSOCIATED WITH THESE BEARINGS. NOW CALL "TRIM".
                                                                                   BRG06970
                                                                                  BRG06980
      CALL TRIM(NBVEC,A4VEC,J1,NST),A4MAX,MSTD,MEAN,INSUF)
                                                                                  93606990
                                                                                   BRG07000
     INSUFFICIENT DATA TO DETERMINE STATS, MUST BE NOTED IN "INSUF".
                                                                                  BRG07010
                                                                                   BRG07020
      IF(INSJF.EQ.1) GO TO 200
                                                                                  BRG07030
                                                                                  BRG07040
 DETERMINE ERRORS BETWEEN TRUE AND MEAN BEARING
                                                                                   3RG07050
                                                                                  BRG07060
      MI=MEAN+NSHIFT
                                                                                   BRG07070
      IF (MEAN - GT - 183) MEAN = MEAN - 360
                                                                                  BRG07080
      IF(M1.3E.360) V1=M1-360
                                                                                   BRG07090
      IF(M1.GE.180) M1=M1-360
                                                                                   BRG07100
                                                                                  BRG07110
 TOTAL THE ERRORS IN M2 AND ERRORS SQUARED IN M3 TOTAL MEAN IN M12 AND MEAN SQUARED IN M10
                                                                                   BR G07120
                                                                                   BRG07130
                                                                                  BRG07140
      M2 = 42 + 41
                                                                                   BRG07150
      M3 = M3 + M1 \times M1
                                                                                   BRG07160
```

```
BRG07170
       M10=M10+MSTD
                                                                                      BRG07180
  COUNT NUMBER OF SIGNALS FOR WHICH STATS ARE OBTAINED
                                                                                      BRG07190
                                                                                      BRG07200
       NC1=NC1+1
                                                                                      BRG07210
       GO TO 102
                                                                                       BRG07220
                                                                                      BRG07230
200
102
       M4=M4+INSUF
       CONTINUE
                                                                                      BRG07240
                                                                                      BRG07250
  READ TO END OF DATA FILE IF NECESSARY INORDER TO REWIND FOR NEXT RUN
                                                                                      BRG07260
                                                                                       BRG07270
                                                                                      BRG07280
       IF(NC2.GE.NREC) GO TO 206
       M8=NREC-VC2
D3 104 K2=1,M8
                                                                                       BRG07290
      M8=NKEU-402
D3 104 K2=1,M8
READ(1,505,EN)=206) A4,SS,N3R32
NBRG=NBRG2
PEWIND 1
                                                                                       BRG07300
                                                                                      BRG07310
104
                                                                                      BRG07320
                                                                                      BRG07330
206
  FIND AVE BEARING ERR AND STO OF BEARING ERR
                                                                                      BRG07340
                                                                                      BRG07350
                                                                                      BRG07360
       IF(NC1.EQ.0) 30 TO 202
                                                                                      BRG07370
  GO TO 203

IF NO SIGNALS FOR WHICH STATS DBTAINED, THIS SHOULD BE FLAGGED IN
                                                                                      BRG07380
                                                                                      BRG07390
                                                                                      BRG07400
  THE DUTPUT WITH 99999.
                                                                                      BRG07410
Č
202
                                                                                       BRG07420
       M5=99999
                                                                                      BRG07430
       47=46
                                                                                       BRG07440
       NC1=45
                                                                                       BRG07450
                                                                                       BRG07460
       M4=M6
                                                                                      BRG07470
       M13 = 46
       M14 = M6
                                                                                       BRG07480
       GO TO 204
                                                                                      BRG07490
                                                                                      BRG07500
  CALCULATE MEAN BEARING ERROR (M6) AND STD OF BEARING ERROR (M7).
CALCULATE MEAN BR3 (M14) AND STD OF BRGS ABOUT MEAN (M13)
                                                                                      BRG07510
                                                                                      PRG07520
                                                                                      BRG07530
 STORE VALUE TO BE PRINTED IN THE ARRAY "NDATA".

4 NDATA(II, M11,1) = M6
NDATA(II, M11,2) = M7
203
      X1=FLDAT(M2)/F_DAT(NC1)

X2=FLDAT(M3)/FLDAT(NC1)

M7=INT(SQRT(X2-X1*X1))

M14=M10/NC1

M11=J1/MINS
       M6=M2/VC1
                                                                                       BRG07540
                                                                                      BRG07550
                                                                                      BRG07560
                                                                                      BRG07570
                                                                                      BR G07580
                                                                                      BRG07590
                                                                                      BRG07600
                                                                                      BRG07610
                                                                                      BRG07620
                                                                                      BRG07630
204
                                                                                      BRG07640
```

```
NDATA(I1,M11,3) = VC1
                                                                                                           BR 607650
         NDATA(II,M11,4)=M14
                                                                                                           BRG07660
101
         CONTINUE
                                                                                                           BRG07670
ĩõō
         CONTINUE
                                                                                                           BRG07680
         GD TO 205
                                                                                                          BRG07690
         WRITE(6,609)
201
                                                                                                           BRG07700
         CONTINUÉ
205
                                                                                                           BRG07710
         DO 106 I1=1,3
                                                                                                           BRG07720
         WRITE(6,614) SOURCE, NSTD
                                                                                                           8RG07730
         DO 105 12=1.4
                                                                                                           BRG07740
         IF(12.=0.1) WRITE(6,610)
IF(12.=0.2) WRITE(6,611)
                                                                                                           BRG07750
                                                                                                           BRG07760
         IF(12.EQ.3) WRITE(6,612)
                                                                                                           BRG07770
         IF(12.EQ.4) WRITE(6,613)
                                                                                                           BRG07780
        CALL PRINT(NDATA, 12, MINS, VINC)
105
                                                                                                           BRG07790
106
         CONTINUE
                                                                                                           BRG07800
         STOP
                                                                                                           BRG07817
                                                                                                           BRG07820
                                                                                                           BRG07830
500
         FORMAT(3041)
                                                                                                           BRG07840
501
         FORMAT(15)
                                                                                                           BRG07850
502
         FORMAT(I4)
                                                                                                           BRG07850
503
         FORMAT(13)
                                                                                                           BRG07870
504
         FORMAT(II)
                                                                                                           BRG07880
505
        FORMAT(8X, 44, 42, 42)
                                                                                                           BRG07890
                                                                                                           BRG07900
                                                                                                           BRG07910
        FORMAT( OTHIS PROGRAM FINDS AVE BEARING ERROR AS A FUNCTION , /,
600
                                                                                                           BRG07920
       A'O OF SIGNAL DURATION AND SYSTEM NOISE (A4 TERM)')
FORMAT('OENTER SOURCE AND TIME(30A1)')
FORMAT('OENTER NUMBER OF RECORDS(15)')
                                                                                                           BRG07930
        FORMAT('OENTER SOURCE AND TIME(30A1)')
FORMAT('OENTER NUMBER OF RECORDS(15)')
FORMAT('OENTER MIN SIGNAL DURATION, XPLE OF 20 MSEC(14)')
FORMAT('DENTER MAX SIGNAL DURATION, XPLE OF 20 MSEC(15)')
FORMAT('OENTER SIGNAL INCREMENT, XPLE OF 20 MSEC(14)')
FORMAT('OENTER TRUE BEARING (13)')
FORMAT('OENTER STD XPLE FOR TRIMMING (11)')
FORMAT(1017)
601
                                                                                                           BRG07940
                                                                                                          BRG07950
602
603
                                                                                                           BRG07960
604
                                                                                                           BRG07970
605
                                                                                                           BRG07980
606
                                                                                                           33607990
607
                                                                                                           BRG08000
608
                                                                                                           BRG08010
        FORMAT( 'DEND OF DATA FILE ENCOUNTERED. ')
609
                                                                                                           BRG08020
        FORMATI OAVERAGE BEARING ERROR AS A FUNCTION OF SYSTEM .
                                                                                                           BRG08030
610
       A'NOISE (A4 TERM) AND SIGNAL DURATION',//)
FORMAT('OSTANDARD DEVIATION OF BEARING ERROR AS A FUNCTION',
                                                                                                           BRG08040
611
                                                                                                           BRG08050
       A OF SYSTEM NOISE AND SIGNAL DURATION , //)
                                                                                                           BRG08060
       A'AS A FUNCTION OF SYSTEM NOISE AND SIGNAL DURATION ',
FORMAT('OAVE STANDARD DEVIATION OF BRGS ABOUT AVE BRG',//)
FORMAT('ISOURCE: ',3041,/,'OSTANDARD DEVIATION MULITPLE ',
A'USED TO DETERMINE BEARING WINDOW = ',II,//)
END
        FORMAT( ONUMBER OF VALID SIGNALS OF A GIVEN DURATION .
                                                                                                           BRG08070
612
                                                                                                          PRG08080
                                                                                                           BRG08090
613
614
                                                                                                          BRG08100
                                                                                                          BRG08110
                                                                                                           BRG08120
```

```
BRG08130
                                                                                                       BRG08140
    SUBROUTINE TRIM
                                                                                                      BRG08150
                                                                                                      BRG08160
  THIS SUBROUTINE CALCULATES MEAN AND STD OF 'N' ELEMENTS (0-360 BEARINGS) OF VECTOR NVES AFTER FILTERING OUT NVEC TERMS
                                                                                                      3RG08170
                                                                                                      BRG08180
  ASSOCIATED WITH A4 VALUES IN XVEC THAT ARE TOO LARGE. FILTERED ELEMENTS ARE STORED IN IVEC. USING MEAN AND AN INTEGER MULTIPLE DF STD, ELEMENTS OF IVEC ARE FILTERED. VALJES WITHIN LIMITS OF MEAN ARE USED TO COMPUTE A NEW MEAN (MEAN). THERE MUST BE AT LEAST 3 VALUES IN IVEC AND AT LEAST 2 VALUES AFTER FILTERING, IF NOT, THE
                                                                                                      BRG08190
                                                                                                      BRG08200
                                                                                                      BRG08210
                                                                                                      BRG08220
                                                                                                       BRG08230
  VALUE OF 'INSUF' IS SET TO 1
                                                                                                       BRG08240
                                                                                                      BRG08250
        SUBROUTINE TRIM(NVEC, XVEC, N, NSTD, XMAX, MSTD, MEAN, INSUF)
                                                                                                      BRG08260
        DIMENSION NVEC(N), XVEC(N), IVEC(5000)
                                                                                                      BRG08270
        DATA IVEC/5000*0/
                                                                                                      BRG08280
                                                                                                      BRG08290
  INITIALIZE COUNTERS AND SUMMERS
                                                                                                      BRG08300
                                                                                                      BRG08310
        NC1=0
                                                                                                       BRG08320
        M1=0
                                                                                                      BRG08330
        M2 = 0
                                                                                                       BRG08340
        INSUF=0
                                                                                                       BRG08350
        C=NA3M
                                                                                                      BRG08360
        M = 0
                                                                                                       BRG08370
        M11 = 0
                                                                                                      BRG08380
                                                                                                      BRG08390
  IF LESS THAN 3 BEARINGS IN NVEC, RETURN TO MAIN PROGRAM WITH
                                                                                                      BRG08400
  INSUF=1.
                                                                                                      BRG08410
                                                                                                      BRG08420
        IF(N.LE.2) GD TD 200
                                                                                                      BRG08430
  FILL IVEC WITH ELEMENTS OF NVEC THAT PASS 44MAX FILTERING COUNT NUMBER OF VALID NVEC ELEMENTS WITH NCI MI AND M2 SUM TERMS FOR FINDING MEAN AND STANDARD DEVIATION
                                                                                                      BRG08440
                                                                                                     BRG08450
                                                                                                     BRG08460
                                                                                                      BRG08470
                                                                                                      BRG08480
        DO 100 I1=1,N
                                                                                                      BRG08490
        IF(XVEC(II).GT.XMAX) GO TO 100
                                                                                                      BRG08500
                                                                                                      BRG08510
  COUNT NUMBER OF BRGS THAT PASS XMAX FILTERING WITH NC1
                                                                                                      BRG08520
                                                                                                      BRG08530
        NC1=NC1+1
                                                                                                      BRG08540
        IF(NVEC(II).GT.180) NVEC(II)=NVEC(II)-360
                                                                                                      BRG08550
        IVEC(NC1) = NVEC(II)
                                                                                                      BRG08560
        M1=NVEC(I1)+M1
                                                                                                      BRG08570
        M2=NVEC(II) *NVEC(II) +M2
                                                                                                      BRG08580
100
        CONTINUE
                                                                                                      BRG08590
                                                                                                      BRG08600
```

```
IF LESS THAN 2 BRGS IN IVEC, STATS WILL BE MEANINGLESS, RETURN TO
                                                                                   BRG08610
  MAIN PROGRAM WITH INSUF=1.
                                                                                   33G08620
                                                                                   BRG08630
      IF(NC1.LE.1) 33 TO 200
                                                                                   BRG08640
                                                                                   BRG08650
  CALCULATE MEAN (M5) AND STD (M3) OF XMAX FILTERED ELEMENTS. FLOATING POINT IS USED IN SOME OPERATIONS FOR BETTER ACCURACY.
                                                                                   BRG08660
                                                                                   33G08670
                                                                                   BRG08680
      X1=FLJAT(M1)/FLOAT(NC1)
                                                                                   BRG08690
      X2=FLDAT(M2)/=_DAT(NC1)
                                                                                   BRG08700
       M5 = INT(X1)
                                                                                   BRG08710
       IF(M5.LT.0) M5=M5+360
                                                                                   BRG08720
      M3=INT(SQRT(X2-X1*X1))
                                                                                   BRG08730
      IF(M3.LT.6) M3=6
                                                                                   BRG08740
                                                                                   BRG08750
  APPLY STD MULTIPLIER NSTD, CALCULATE ACCEPTABLE WINDOW (M6&M7) ABOUT THE MEAN (M5) AND ZERDIZE COUNTER M AND SUMMER M9.
                                                                                   BRG08760
                                                                                   BRG08770
                                                                                   BRG08780
      M4=NSTD*43
                                                                                   BRG08790
      M6=M5+44
                                                                                   BRG08800
      M7=45-44
                                                                                   BRG08810
      NWIN=M5-M7
                                                                                   BRG08820
      M = 0
                                                                                   BRG08830
      M9 = 0
                                                                                   BRG08840
      M10 = 0
                                                                                   BRG08850
                                                                                   BRG08860
  FIND BEARINGS WITHIN WINDOW ABOUT THE MEAN
                                                                                   BRG08870
                                                                                   BRG08880
      DO 101 I2=1,NC1
                                                                                   BRG08890
      M8=IVEC(I2)+350
                                                                                   BRG08900
      IF((IVEC(I2).LT.M7.JR.IVEC(I2).GT.M6).AND.M8.GT.M6) GD TO 101
                                                                                   3RG08910
                                                                                   BRG08920
      IF(IVEC(12).LT.M7) IVEC(12)=IVEC(12)+350
                                                                                   BRG 08930
      M9=M9+IVEC(I2)
                                                                                   33G08940
      M10=M10+IVEC(I2)*IVEC(I2)
                                                                                   BRG08950
101
      CONTINUE
                                                                                   BRG08960
                                                                                   BRG08970
 COMPUTE MEAN OF BEARINGS
                                                                                   BRG08980
                                                                                   33G08990
                                                                                   BRG09000
       IF(M.EQ.O) GD TD 200
      X4=FLJAT(M9)/FLJAT(M)
                                                                                   BRG09010
      X5=FLDAT(M10)/FLDAT(M)
                                                                                   BRG09020
      MSTD=INT(SQRT(X5-X4*X4))
                                                                                   BRG09030
      MEAN=INT(X4)
                                                                                   BRG09040
      GO TO 201
                                                                                   BRG09050
                                                                                   BRG09060
     NUMBER OF VALID ELEMENTS NOT SUFFICIENT, SET INSUF=1
                                                                                   BRG09070
                                                                                   BRG09080
```

```
200
      INSUF=1
                                                                              BRG09090
201
      RETURN
                                                                               BRG09100
      END
                                                                               BRG09110
                                                                               BRG09120
                                                                               BRG09130
  THIS SUBROJITINE IS USED TO PRINT THE DATA CALCULATED IN THE
                                                                               BRG09140'
 MAIN PROGRAM
                                                                               BRG09150
                                                                              BRG09160
      SUBROUTINE PRINT (NDATA, N, MINS, NINC)
                                                                               33G09170
      LOGICAL*1 TITLE(10)
                                                                               BRG09180
      BRG09190
                                                                               BPG09200
      DO 100 I1=1,10
                                                                               BRG09210
      A4LBL([1]=FLOAT(11-11)*0.1
                                                                               BRG09220
      NSDLBL(II)=MINS*20+((II-I)*NINC*20)
WRITE(5,600) (TITLE(I),A4LBL(I),(NDATA(I,J,N),J=1,10),I=1,10)
FORMAT(5X,A1,5X,F3.1,2X,1016,/)
100
                                                                               BRG09230
                                                                               BRG09240
600
                                                                               BRG09250
      WRITE(6,601) VSDLBL
                                                                               BRG09260
      FORMAT(//, 16X, 1016)
601
                                                                               BRG09270
      WRITE(5,602)
                                                                              BRG09280
      FORMAT(//,25X, 'SIGNAL DURATION (MILLISEC) '///)
602
                                                                              BRG09290
      RETURY
                                                                               BRG09300
      END
                                                                               BRG09310
```

```
LMAT
                                                                                                                                         BRG03990
  C THIS PROGRAM READS 4 FILE OF SWRI SPACED-LOOP DATA AND CONSTRUCTS C A THREE DIMENSIONAL CONDITIONAL PROBABILTY LIKELIHOOD RATIO C MATRIX (L)
                                                                                                                                         BRG04000
  3RG04010
                                                                                                                                         BRG04020
  C NUMBER OF RECORDS AND NUMBER OF FILES

NREC=10000
             NREC=10000
                                                                                                                                         BRG04280
             NFILE=4
                                                                                                                                         B3G04290
 C SET UP TWO ACCEPTABLE BEARING WINDOWS TO ACCOUNT FOR 360 TO 000 C CROSSOVER INHERENT IN BEARING PROBLEMS. E.G. IF YOU WANT A 20 DEG C WINDOW AROUND B=350, SET UP TWO WINDOWS 330-360 AND 000-010. IF
                                                                                                                                         BRG04300
                                                                                                                                         BRG04310
                                                                                                                                         BRG04320
     THE WINDOW DOES NOT SPAN THE CROSSOVER, SET WINDOW 2 = WINDOW 1.
C LOWER BOUND OF ACCEPTABLE BEARING WINDOWS 1 AND 2

NBMIN1=000
NBMIN2=292
C UPPER BOUND OF ACCEPTABLE BEARING WINDOWS 1 AND 2

NBMAX1=020
NBMAX2=360
C INITIALIZE ACCEPTABLE AND UNACCEPTABLE BEARING COUNTERS
NA=0
NU=0
C INITIALIZE CONSTANTS NEEDED FOR THE SUBROJIINE THAT MAPS
C AO, PHASE, AND A4 INTO APPROPRIATE MATRIX ADDRESS.

BRG04360
BRG04370
BRG04430
BRG04420
BRG04420
BRG04420
BRG04440
BRG04420
BRG04440
BRG04440
BRG04440
BRG04440
                                                                                                                                         BRG04330
```

```
A OMAX=1.
                                                                                          BRG04470
       CI = PIGOAN
                                                                                          BRG04480
       PMI N=-180.
                                                                                          BRG04490
       PMAX=180.
                                                                                          BRG04500
       NPDIM=10
                                                                                          BRG04510
       A4MIN=0.
                                                                                          BRG04520
       A4MAX=1.
                                                                                          BRG04530
       NA4DIM=10
                                                                                          BRG04540
                                                                                         BRG04550
  USE A DO LOOP TO READ THRU THE ENTIRE FILE AND PLACE APPROPRIATE ENTRIES INTO THE A AND U MATRICES.
                                                                                         BRG04560
                                                                                          BRG04570
                                                                                         BRG04580
       DO 108 18=1,NFILE
                                                                                          BRG04590
       DO 109 II=1, NREC
                                                                                          BRG04600
       READ(1,500, EV)=109) AO, VP, A4, SS, NB2
                                                                                          PRG04610
       NB = NB2
                                                                                          BRG04620
       FORMAT(3A4, A2, A2)
IF(SS.EQ.CLR) GO TO 109
500
                                                                                          RRG04630
                                                                                          BRG04640
       IF(SS.EQ.CSR) 33 TO 109
                                                                                          BRG04650
       IF(SS.EQ.CSA) 30 TO 109
                                                                                          BRG04660
       P=FLOAT (NP)
                                                                                          BRG04670
0000
                                                                                          BRG04680
  CALL SUBROJTINE MAPE TO DETERMINE MATRIX ELEMENT ADDRESS (I,J,K). AO DETERMINES I, PHASE DETERMINES J, AND A4 DETERMINES K.
                                                                                          BRG04690
                                                                                          BRG04700
                                                                                          93G04710
       (I, MIDOAN, XAMCA, NINCA, OA) FINA
                                                                                          BRG04720
       CALL MAPF(P,PMIN,PMAX,NP)IM,J)
                                                                                          BRG04730
       CALL MAPFIA4, A4MIN. A4MAX, NA 4DIM. KI
                                                                                          BRG04740
                                                                                          BRG04750
  DECIDE IF A 1 SHOULD BE ADDED TO A OR U.
                                                                                          BRG04760
                                                                                          BRG04770
       IF(NB.GE.NBMIN1.AND.NB.LE.NBMAX1) GO TO 200 IF(NB.GE.NBMIN2.AND.NB.LE.NBMAX2) GO TO 200
                                                                                         BRG04780
                                                                                         BRG04790
                                                                                          8RG04800
  THIS PATH, AUGMENT UNACCEPTABLE COUNTER AND MATRIX.
                                                                                          BRG 04810
                                                                                          BRG04820
                                                                                          BRG04830
       NU=NU+1
       U(I,J,\zeta)=U(I,J,\zeta)+1.
                                                                                          BRG04840
       GO TO 109
                                                                                          BRG04850
                                                                                         BRG04860
33G04870
  THIS PATH, AUGMENT ACCEPTABLE COUNTER AND MATRIX.
                                                                                          BRG04880
200
       NA=NA+1
                                                                                          BRG04890
       A(I,J,C) = A(I,J,K) + 1.
                                                                                         BRG04900
       CONTINUE
109
                                                                                          BRG04910
108
       CONTINUE
                                                                                          BRG04929
                                                                                          BRG04930
  CONSTRUCT LIKELIHOOD RATIO MATRIX
                                                                                          BRG04940
```

```
C
                                                                                  BRG04950
      DO 101 I2=1, NAODIM
                                                                                  BRG04960
      DO 102 J2=1,NP)IM
DO 103 K2=1,N44DIM
                                                                                  BRG04970
                                                                                  BRG04980
C AVOID DIVISION BY ZERO
                                                                                  BRG04990
      IF(U(12,J2,K2).EQ.O.) GO TO 201
IF(A(12,J2,K2).EQ.O.) GO TO 103
                                                                                  BRG05000
                                                                                  BRG05010
                                                                                  BRG05020
  CONSTRUCT XL FROM THE RATIO OF THE PROBABILTY MASS MATRIX ELEMENTS
                                                                                  BRG05030
  OF A AND U.
                                                                                  BRG05040
                                                                                  BRG05050
      XL(12,J2,K2)=(A(12,J2,K2)/FLOAT(NA))/(J(12,J2,K2)/FLOAT(NU))
                                                                                  BRG05060
      GO TO 103
                                                                                  BRG05070
                                                                                  BRG05089
 IF THE U MATRIX ELEMENT IS ZERD, SET XL MATRIX ELEMENT TO 9999.99
                                                                                  BRG05090
Č
201
                                                                                  BRG05100
      XL(I2,J2,K2)=9999.99
                                                                                  BRG05110
103
      CONTINUE
                                                                                  BRG05120
      CONTINUE
102
                                                                                  BRG05130
101
      CONTINUE
                                                                                  BRG05140
                                                                                  BRG05150
 WRITE XL MATRIX INTO A STORAGE FILE
                                                                                  BRG05160
                                                                                  BRG05170
      WRITE(8,600) XL
                                                                                  BRG05180
      FORMAT(F12.3)
                                                                                  BRG05190
600
                                                                                  BRG05200
      STOP
      END
                                                                                  BRG05210
                                                                                  BRG05220
                                                                                  BRG05230
                                                                                  BRG05240
             SUBROUTINE MAPF
                                                                                  BRG05250
                                                                                  BRG05260
      SUBROUTINE MAPF(VAR, VARMIN, VARMAX, MI, M2)
                                                                                  BRG05270
      THIS SUBROUTINE MAPS A VARIABLE (VAR) WHICH LIES ON OR BETWEEN
                                                                                  BRG05280
      A MINIMUM VALJE (VARMIN) AND A MAXIMUM VALUE (VARMAX) TO AN ADDRESS (M2) OF AN ARRAY OF LENGTH (M1).
                                                                                  3RG05290
                                                                                  BRG05300
                                                                                  BRG05310
      IF(VAR.LT.VARMIN) VAR=VARMIN
                                                                                  BRG05320
      IF (VAR. GT. VARMAX) VAR=VARMAX
                                                                                  BRG05330
      M2=INT(FLOAT(M1)*(VAR-VARMIN)/(VARMAX-VARMIN))+1
                                                                                  BRG05340
      IF(M2.GT.M1) M2=M1
                                                                                  BRG05350
      RETURN
                                                                                  BRG05360
      END
                                                                                  BRG05370
```

```
LFILE
                                                                                                  BRG05400
                                                                                                  BRG05410
C THIS PROGRAM USES A LIKELIHOOD RATIO MATRIX (XL) TO CREATE AND C DUTPUT FILE THAT IS THE SAME AS THE INPUT FILE EXCEPT FOR THE
                                                                                                  BRG05420
                                                                                                  BRG05430
  A4TERM.
                                                                                                  BRG05440
                                                                                                  BRG05450
        INTEGER*2 NB2
LOGICAL*1 SOURCE(30)/30*' '/
DATA CLR/'LR'/, CSR/'SR'/, CSA/'SA'/
DIMENSION_XL(10,10,10)
                                                                                                  BRG05460
                                                                                                  BRG05470
                                                                                                  BRG05480
                                                                                                  BRG05490
        CALL DSDSET (1,1600,2,15)
                                                                                                  BRG05500
        CALL DSDSET (2,1600,2,16)
                                                                                                  BRG05510
        READ(8,502) SOURCE
                                                                                                  BRG05520
502
        FURMAT(30A1)
                                                                                                  BRG05530
        READ(8,500) X_
                                                                                                  BRG05540
        FORMAT (F12.3)
500
                                                                                                  BRG05550
        MREC = 10000
                                                                                                  BRG05560
                                                                                                  BRG05570
  REQUIRED MAPPING CONSTANTS
                                                                                                  BRG05580
                                                                                                  BRG05590
        AOMIN=0.
                                                                                                  BRG05600
        AOMAX=1.
                                                                                                  BRG05610
        NAODIM=10
                                                                                                  BRG05620
        PMIN=-180.
                                                                                                  BRG05630
                                                                                                  39G05640
        PMAX=180.
        NPDIM=10
                                                                                                  BRG05650
        A4MIN=0.
                                                                                                  BRG05660
        A4MAX=1
                                                                                                  BRG05670
        NA4DIM=10
                                                                                                  BRG05680
                                                                                                  BRG05690
  READ THRU THE INPUT FILE AND USE MAPF TO FIND ADDRESS OF XL. IF XL IS LT 1 OR IF RCD TAGGED LR, THE BEARING IS MADE UNACCEPTABLE BY SETTING A4=10.0 . IF GREATER THAN 1, THE BEARING IS ACCEPTABLE AND A4 IS SET EQUAL TO 0.01 .
                                                                                                  BRG05700
                                                                                                  BRG05710
                                                                                                  3RG05720
                                                                                                  BRG05730
                                                                                                  BRG05740
        DO 100 II=1,NREC
                                                                                                  BRG05750
        READ(1,501) AO, NP, A4, SS, NB2
                                                                                                  BRG05760
        NB=NB2
                                                                                                  BR 605770
        FORMAT(344, A2, 42)
                                                                                                  BRG05780
501
        P=FLDAT(NP)
                                                                                                  BRG05790
                                                                                                  33G05800
  FIND THE APPROPRIATE I.J.K ADDRESS
                                                                                                  BRG05810
                                                                                                  BRG05820
        (I, MICO AV, XAMCA, MINCA, CA) FIAD
                                                                                                  BRG05830
        CALL MAPF(P.PMIN, PMAX, NPDIM, J)
                                                                                                  BRG05840
        CALL MAPF (A4, A4MIN, A4MAX, NA4DIM, K)
                                                                                                  BRG05850
                                                                                                  BRG05850
  COMPARE THE XL MATRIX ELEMENT WITH 1.
                                                                                                  BPG05870
```

```
C
                                                                                BRG05880
      IF(XL(I,J,K).LT.1.0) GD TO 200
                                                                                BRG05890
      IF(SS.EQ.CLR) 30 TO 200
                                                                                BRG05900
                                                                                BRG05910
  THIS PATH, BEARING ACCEPTABLE, SET A4=0.31 .
                                                                                BRG05920
                                                                                BRG05930
      A4 = 0.01
                                                                                BRG05940
      GO TO 201
                                                                                BRG05950
C T C 200
                                                                                BRG05960
  THIS PATH, BEARING UNACCEPTABLE, SET A4=10.0 .
                                                                                BRG05970
                                                                                BRG05980
      A4 = 10.0
                                                                                BRG05990
C W C 201
                                                                                BRG06000
  WRITE THE NEW RECORD
                                                                                BRG06010
                                                                                BRG06020
      WRITE(2,600) 40, NP, 44, NB
                                                                                BRG06030
      FORMAT(444)
600
                                                                                BRG06040
100
      CONTINUE
                                                                                BRG06050
      STOP
                                                                                BRG06060
      END
                                                                                BRG06070
0000
                                                                                BRG06080
                                                                                BRG06090
  SUBROUTINE MAPF
                                                                                BRG06100
                                                                                BRG06110
      SUBROUTINE MAPF (VAR, VARMIN, VARMAX, M1, M2)
                                                                                BRG06120
      IF(VAR.LT. VARMIN) VAR = VARMIN
                                                                                BRG06130
      IF (VAR. GT. VARMAX) VAR = VARMAX
                                                                                BRG06140
      M2=INT(FLOAT(M1)*(VAR-VARMIN)/(VARMAX-JARMIN))+1
                                                                                BRG06150
      IF(M2.GT.M1) M2=M1
                                                                                BRG06160
      RETURN
                                                                                BRG06170
      END
                                                                                BRG06180
```

```
PLOT3
                                                                               BRG09340
                                                                               BRG09350
C THIS PROGRAM PLOTS THE RESULTS OF ANALYSIS OF SWRI DE SYSTEM DATA.
                                                                               BRG09360
                                                                               BRG09370
                                                                               BRG09380
      LOGICAL*1 SOURCE(30)/30** */
                                                                               BRG09390
      DIMENSION A(1), S(1), C(10), V(10), P(10), RANGE(4), X(6),
                                                                               BRG09400
     AD1(10), D2(10), SC1(10), SC2(10)
                                                                               BRG09410
      DATA D1 /100.,200.,300.,400.,500.,600.,700.,800.,900.,1000./,
D2 /1000.,2000.,3000.,4000.,5000.,5000.,7000.,
                                                                               BRG09420
                                                                               BRG09430
     B8000.,9000.,10000./,
C SC1 /2000.,1000.,666.,500.,400.,333.,285.,250.,222.,
BRG09450
     0200./,
E SC2 /200.,100.,66.,50.,40.,33.,28.,25.,22.,20./
                                                                              BRG09460
                                                                               BRG09470
                                                                               BRG09480
  IF MORE THAN ONE DATA FILE IS TO BE PLOTTED, SET NFILE=1
                                                                               BRG09490
                                                                               BRS09500
      NFILE=1
                                                                               BRG09510
204
      CONTINUE
                                                                               BRG09520
                                                                               BRG09530
 NUMBER OF PLOTS TO BE MADE
                                                                               BRG09540
                                                                               BRG09550
203
      READ(10,502,EN)=202,ERR=2031 NPLOT
                                                                               BRG09560
502
      FORMAT(12)
                                                                               BRG09570
                                                                               BRG09580
  FOR SHORT (1) OR LONG (10) SIGNAL DURATIONS
                                                                               BRG09590
                                                                               BRG09600
      N1=1
                                                                               BRG09610
                                                                               BRG09620
  FIX THE SCALE PARAMETERS
                                                                               BRG09630
                                                                               BRG09640
      RANGE(1)=1000 \pm FLOAT(N1)
                                                                               BRG09650
      RANGE(2)=0.
                                                                               BRG09660
C
                                                                               BRG09670
                                                                               BRG09680
      DO 100 I1=1.NPLOT
                                                                               BRG09690
      READ(10,500) SOURCE
                                                                               BRG09700
500
      FORMAT(30A1)
                                                                               BRG09710
      READ(10,501) 4, S, C, V
                                                                               BRG09720
501
      FORMAT (10F7.0)
                                                                               BRG09730
      IF(N1.EQ.10) 37 TO 200
                                                                               BRG09740
                                                                               BRG09750
  DETERMINE THE SCALING PARAMETERS FOR THE Y AXIS OF THE PLOT
                                                                               BRG09760
                                                                               BRG09770
                                                                               BRG09780
      CALL MINMAX (A, X(1), X(4), 10)
      CALL MINMAX(S, X(2), X(5), 10)
                                                                               BRG09790
      CALL MINMAX (V, X(3), X(6), 10)
                                                                               BRG09800
      CALL MINMAX(X, RANGE(4), RANGE(3), 6)
                                                                               BRG09810
```

```
IF(RANGE(4).GT.O.) RANGE(4)=0.
                                                                                           BRG09820
       00 101 12=1,10
                                                                                           BRG09830
       P(12)=C(12)/SC1(12)
CONTINUE
                                                                                           BRG09840
101
                                                                                           BRG09850
        GO TO 201
                                                                                           BRG09860
       DO 102 13=1,10
P(13)=0(13)/S02(13)
200
                                                                                           3RG09870
102
                                                                                           BRG09880
201
       CONTINUE
                                                                                           BRG09890
       WRITE(6,600) SOURCE
                                                                                           BRG09900
      FORMAT('1',33(/),1X,'SDURGE: ',3UAL,//
WRITE(6,601)
FORMAT(9X,'AVE BEARING ERROR (DEGREES) : X',/,
A9X,'STD DF BEARING ERROR (DEGREES) : *',/,
       FORMAT('1',33(/),1X,'SOURCE: ',30A1,/)
600
                                                                                           BRG09910
                                                                                           BRG09920
601
                                                                                           BRG09930
                                                                                           BRG09940
                                                                                           BRG09950
       CALL UTPLTT (D1, S, 10, RANGE, 1, 1)
                                                                                           BRG09960
       CALL UTPLTT(D1, V, 10, RANGE, 1,2)
CALL UTPLTT(D1, A, 10, RANGE, 1,3)
                                                                                           BRG09970
                                                                                           BRG09980
       WRITE(6,603) 31,P
                                                                                           BRG09990
       FORMAT(//,1X, 'SIGNAL DURATION: ',3X,10=6.0,/,2X, '(MILLISECONDS)',
603
                                                                                           BRG10000
      4/,1X, 'PROBABILITY OF :',2X,10F6.3,/,2X, 'OBTAINING LOB')
WRITE(6,604) 4,5,V
FORMAT(/,13X,'X :',3X,10F6.0,/,13X,'* :',3X,10F6.0,/,
                                                                                           BRG10010
                                                                                           BRG10020
604
                                                                                           BRG10030
      A13X, . : , 3X, 10F6.01
                                                                                           BRG10040
       REWIND 5
                                                                                           BRG10050
       CONTINUE
100
                                                                                           BRG10060
       IF(NFILE.EQ.1) GD TO 203
                                                                                           BRG1 0070
       CONTINUE
202
                                                                                           BRG10080
       STOP
                                                                                           BRG10090
       END
                                                                                           BRG10100
                                                                                           BRG10110
  THIS SUBROUTINE FINDS THE MIN (AIMA) AND MAX (AMAX) VALUES
                                                                                           BRG10120
  OF AN ARRAY OF LENGTH N.
                                                                                           BRG10130
                                                                                           BRG10140
       SUBROUTINE MINMAX (ARRAY, AMIN, AMAX.N)
                                                                                           BRG10150
       DIMENSION ARRAY(N)
                                                                                           BRG10160
       AMAX=ARRAY(1)
                                                                                           BRG10170
       AMIN=ARRAY(1)
                                                                                           BRG10180
       DO 100 I1=2.N
                                                                                           BRG10190
       IF(ARRAY(II).GT.AMAX) AMAX=ARRAY(II)
                                                                                           BRG10200
       IF(ARRAY(II).LT.AMIN) AMIN=ARRAY(II)
                                                                                           BRG10210
100
       CONTINUE
                                                                                           BRG10220
       RETURN
                                                                                           BRG10230
       END
                                                                                           BRG10240
AMB I GUI TY
                                                                                           BRG10250
                                                                                           BRG10260
C THIS PROGRAM EDITS A SWRI FILE TO MAKE THE A4 TERM = 10.0 FOR ALL C RECORDS THAT ARE VITHIN A DEFINED WINDOW ABOUT THE 90 AND 180 DEGREE
                                                                                           BRG10270
                                                                                           BRG10280
C AMBIGUITIES ASSOCIATED WITH THE TRUE BEARING.
                                                                                           BRG10290
```

```
C
                                                                                           BRG10300
                                                                                          BRG10310
       INTEGER *2 NBRG2
                                                                                          BRG10320
                                                                                          BRG10330
  NEED DSDSET FOR CP/CMS
                                                                                          BRG10340
                                                                                          BRG10350
       CALL DSDSET(1,1600,2,16)
                                                                                          BRG10360
       CALL DSDSET(2,1600,2,16)
                                                                                          BRG10370
                                                                                          BRG10380
  SET NTBRG WITH THE VALUE OF THE TRUE BEARING.
                                                                                          BRG10390
                                                                                          3RG10400
       NTBRG=337
                                                                                          BRG10410
       NREC=10000
                                                                                          BRG10420
                                                                                          BRG1 0430
  SET THE WIDTH OF THE AMBIGUITY WINDOW. PROGRAM ACCOUNTS FOR
                                                                                          BRG10440
  FOLD AROUND AT 360 DEGREES.
                                                                                          3RG10450
                                                                                          BRG10460
       NWIDTH=10
                                                                                          BRG10470
       NA180=NTBRG-130
IF(NA130.LT.0) NA180=NA180-360
NAP90=NTBRG+90
                                                                                          BRG10480
                                                                                          BRG10490
                                                                                          BRG1 0500
       IF(NAP90.GT.350) NAP90=NAP90-360
                                                                                          BRG10510
       NAM90=NTBRG-90
                                                                                          BRG10520
       IF(NAM90.LT.0) NAM90=360+NAM90
                                                                                          BRG10530
                                                                                          BRG10540
  USE WINDOW SUBROUTINE TO DETERMINE WINDOW LIMITS ABOUT THE
                                                                                          BRG10550
  90 AND 180 DEGREE AMBIGUITIES.
                                                                                          BRG10550
                                                                                          BRG10570
       CALL WINDOW (NA180, NWIDTH, N1, N2)
                                                                                          BRG10580
       CALL WINDOW (NAP90, NWIDTH, N3, N4)
                                                                                          BRG10590
       CALL WINDOW (NAMOO, NWIDTH, N5, N6)
                                                                                          BRG10600
                                                                                          BRG10610
  LOOP THRU ALL OF THE RECORDS OF THE FILE.
                                                                                          BRG10620
                                                                                          BRG10630
       DO 100 I1=1, NREC
READ(1,500) AO, NP, A4, SS, NBRG2
                                                                                          BRG10640
                                                                                          BRG10650
       FORMAT(3A4,2A2)
500
                                                                                          BRG10660
       NB=NBRG2
                                                                                          BRG10670
                                                                                          BRG10680
 IF BRG IN A RECORD IS INSIDE AMBIGUITY WINDOW, SET A4 VALUE TO 10.0 AND WRITE WHOLE RECORD TO FILE DSRN 02.

IF((NB.GE.N1.OR.NB.GE.N3.OR.NB.GE.N5).AND.
A(NB.LE.N2.OR.N3.LE.N4.OR.N3.LE.N6)) 44=10.0
WRITE(2,600) A0,NP,A4,SS,NBRG2
FORMAT(3A4,2A2)
                                                                                          BRG10690
                                                                                          BRG10700
                                                                                          BRG10710
                                                                                          BRG10720
                                                                                          BRG10730
                                                                                          BRG10740
600
                                                                                          BRG10750
       CONTINUE
100
                                                                                          BRG10760
       STOP
                                                                                          BRG10770
```

END C	BRG10780 BRG10790 BRG10800
C THIS SUBROUTINE DETERMINES THE MIN BEARING AND THE MAK BEARING C THAT DEFINES A WINDOW OF WIDTH NWIDTH CENTERED AT NBRG.	BRG10810 BRG10820
SUBROUTINE WINDOW(NBRG, NWIDTH, MIN, MAX) NI=NWIDTH/2 MIN=NBRG-NI	RRG10830 BRG10840 BRG10850
IF (MIN.LT.O) MIN=MIN+360 MAX=NBRG+N1	BRG10860 BRG10870 BRG10880
IF(MAX.GT.360) MAX=MAX-360 RETURN END	BRG10890 BRG10900

```
BRGCNT
C THIS PROGRAM SUMS THE NUMBER OF BEARINGS BY INTEGER BEARING VALUE C OF A DATA FILE OF 10,000 RECORDS. ONE CONSTRAINT CAN BE APPLIED
  TO THE DATA SET. THE AT TERM OF SWRI DATA SETS CAN BE SPECIFIED TO
  HAVE A MAXIMUM TOLERABLE VALUE.
  BRGMAX IS A 360 ELEMENT LINEAR ARRAY IN WHICH EACH BLOCK CORRESPONDS TO A NUMBER OF DGREES. THE CONTENTS OF AN ELEMENT ARE THE NUMBER OF RECORDS WITH THAT BEARING.

DIMENSION BRGMX(360)
INTEGER*2 NBRG2
         INTEGER*2 VBRG2
         DATA 33 GMX/36040.0/
C USE DSDSET FOR CP/CMS
         CALL DSDSET(1,1500,2,16)
CALL DSDSET(2,1600,2,16)
CALL DSDSET(3,1500,2,16)
         CALL DSDSET(4,1500,2,16)
         WRITE(5,600)
WRITE(5,601)
READ(5,500)NFI_E
200
         WRITE(5,608)
         READ(5,504) NREC
         WRITE(5,602)
         READ(5,501)A444X
         NDEI = 0
  READ THRU THE FILE. IF 44 NOT TOO LARGE, AUGMENT APPROPRIATE
  ELEMNET IN BRGMX
        DO 101 II=1,NREC

READ(NFILE,502,ERR=100,END=100)A4,NBRG2

NBRG=NBRG2

IF(A4.GT.A4MA()GD TO 100

IF(NBRG.EQ.O)NBRG=NBRG+360

BRGMX(NBRG)=BRGMX(NBRG)+1

GO TO 101

NDEL=NDEL+1
100
         CONTINUE
101
  WRITE OUTPUT TO FILE 6
         WRITE(6,605)NFILE
         WRITE (6,505) A4 MAX
         WRITE(5,603)(I,3RGMX(I),I=L,360)
         WRITE(5.504) NOEL
         NVAL = 12 EC -NDEL
```

3RG00040 BRG00050

BRG00060 BRG00070

BRG00080

BRG00090 BRG00100

BRG00110 BRG00120 BRG00130 BRG00140 BRG00150

BRG00160

BRG00170

BR300180

BRG00190 BRG00200 BRG00210

BRG00220

BRG00230

BRG00240 BRG00250

BRG00260

BRG00270

3RG00280

BRG00290

BRG 00300 BRG 00310

BRG00320

BRG00330

BRG00340 BRG00350 BRG00370 BRG00380 BRG00390 BRG00410

3RG00420

BRG00430 BRG00440

BRG00450 BRG00460

BRG00470

BRG00480

BRG00490

BRG00500

BRG00510

```
BRG00520
  QUERY FOR ANOTHER RUN. REWIND IF NECESSARY
                                                                                          BRG00530
                                                                                          BRG00540
       WRITE(6,607)
                                                                                          BRG00550
       REWIND NEILE
                                                                                          BRG00560
       READ(5,503)M1
                                                                                          BRG00570
       IF(M1.EQ.1) G) TO 200
                                                                                          BRG00580
       STOP
                                                                                          BRG00590
500
       FORMAT(II)
                                                                                          3RG00600
501
       FORMAT(F5.3)
                                                                                          BRG00610
       FORMAT (8X, A4, 2X, A2)
502
                                                                                          BRG00620
503
       FORMAT(II)
                                                                                          BRG00630
504
       FORMAT(15)
                                                                                          BRG00640
       FORMAT(')PROGRAM SUMS INDIVIDUAL INTEGER BRGS OF A DATA SET')
FORMAT('OENTER FILE NUMBER (II)')
600
                                                                                          BRG00650
601
                                                                                          BRG00660
       FORMAT( 'OENTER MAX A4 VALUE (F5.3) ')
602
                                                                                          BRG00670
       FORMAT(10(1X, 13, 1X, F5.1, 2X)/)
FORMAT(10NUMBER OF DELETES = ', 15)
603
                                                                                          PRS00680
604
                                                                                          BRG00690
       FORMAT('OFILE NUMBER ', 11)
605
                                                                                          33G00700
       FORMAT( 1044 MAX = 1, F5.3)
606
                                                                                          BRG00710
       FORMAT('OTYPE'A 1 FOR ANOTHER RUN, TYPE A DIFFERENT INT TO END')
FORMAT('DENTER NUMBER OF RECORDS (16)')
607
                                                                                          BRG00720
608
                                                                                          BRG00730
       END
                                                                                          BRG00740
```

```
BRGH2
                                                                                                BRG00770
                                                                                                BRG00780
 THIS PROGRAM DISPLAYS A HISTOGRAM OF FILTERED BEARINGS IN FILE DSRN 1.BRG00790 FILTERING IS DONE ON THE A4 TERM. MAXIMUM LEVEL IS SET IN A4MAX. BRG00800 A4 ADMISSIBLE BRGS ARE USED TO DETERMINE MEAN AND STD. A WINDOW BRG00810 IS CREATED ABOUT THIS MEAN. WIDTH OF WINDOW IS STD TIMES AN INTEGER BRG00820
  ENTERED BY THE USER
                                                                                                BRG00830
                                                                                                BRG00840
       LOGICAL*1 SOURCE(30)/30** */
INTEGER*2 NBRS2
                                                                                                BRG00850
                                                                                                BRG00860
       DIMENSION BRGMAT(10000), STAT(5), SCALE(2), IOPT(5), DATMAT(10000)
DATA IOPT/1,0,0,0,1/
                                                                                                BRG00870
                                                                                                BRG00880
                                                                                                BRG00890
  USE DSDSET FOR CP/CMS
                                                                                                BRG00900
                                                                                                BRG00910
        CALL DSDSET(1,1500,2,16)
                                                                                                BRG00920
        WRITE(10,600)
                                                                                                BRG00930
        WRITE(10,603)
                                                                                                BRG00940
        READ(5,502) SOURCE
                                                                                                BRG00950
        WRITE(10,607)
201
                                                                                                BRG00960
        READ(5, 500) 4444X
                                                                                                BRG00970
       WRITE(10.610)
                                                                                                BRG00980
       READ(5,500) X2
                                                                                                BRG 00990
       C = JAVV
                                                                                                BRG01000
                                                                                                BRG01010
  READ 10000 RECORDS AND FILTER ON A4. FILL BRGMAT WITH A4 ADMISSIBLE BEARING VALUES.
                                                                                                BRG01020
                                                                                                BRG01030
                                                                                                BRG01040
        DO 100 I1=1,1000
                                                                                                33G01050
       READ(1.501, EN) = 200) A4, NBRG 2
                                                                                                BRG01060
       NBRG= VBRG2
                                                                                                BRG01070
       IF(A4.GT.A4MAX) GO TO 100
                                                                                                BRG01080
        NVAL = VVAL + I
                                                                                                BRG01090
       BRGMAT (NVAL) = NBRG
                                                                                                BRG01100
100
       CONTINUE
                                                                                                BRG01110
200
        CONTINUE
                                                                                                BRG01120
                                                                                                BRG01130
  FIND MEAN AND STD OF BRGMAT AND SET PARAMETERS OF WINDOW.
                                                                                                BRG01140
                                                                                                BRG01150
       CALL BEIJGR (BRGMAT, NVAL, IDPT, STAT, IER)
                                                                                                BRG01160
       X1=FLJAT(IFIX(STAT(1)))
                                                                                                BRG011/0
       X3=FLJAT(IFIX(X2*SQRT(STAT(5))))
                                                                                                BRG01180
        X4=X1+X3
                                                                                                BRG01190
        X5 = X1 - X3
                                                                                                BRG01200
       M = 0
                                                                                                BRG01210
                                                                                                BRG01220
  FILTER BRGMAT THRU WINDOW. PUT WINDOW ADMISSIBLE VALUES IN DATAMAT.
                                                                                                BRG01230
                                                                                                BRG01240
```

```
DO 101 12=1,N/AL
                                                                                   BRG01250
       X6=BRGMAT(12)+360.
                                                                                   BRG01250
       IF((BRGMAT(I2).LT.X5.OR.BRGMAT(I2).GT.X4).AND.X6.GT.X4) GD TO 101 BRG01270
       M1 = M1 + 1
                                                                                   BRG01280
       \overrightarrow{IF}(\overrightarrow{BRGMAT}(12) \cdot \bot \overrightarrow{T} \cdot X5) BRGMAT(12)=BRGMAT(12)+360
                                                                                   RRG01290
       DATMAT(MI) = BRGMAT(I2)
                                                                                   BRG01300
101
       CONTINUE
                                                                                   3RG01310
       WRITE(5,605) SOURCE
                                                                                   BRG01320
       WRITE(5,608) 44MAX
                                                                                   BRG01330
                                                                                   BRG01340
  CREATE AND DUTPUT HISTOGRAM. SET UP FOR ANOTHER RUN.
                                                                                   BRG01350
                                                                                   BRG01360
       CALL HISTF(DATMAT.MI.)
                                                                                   BRG01370
       REWIND 1
                                                                                   BRG01380
       WRITE(10,609)
                                                                                   93601390
       READ(5,505) M2
                                                                                   BRG01400
       IF(42.EQ.1) GD TO 201
                                                                                   BRG01410
       STOP
                                                                                   BRG01420
      FORMAT(F5.3)
500
                                                                                   BRG01430
      FORMAT (8X, A4, 2X, A2)
501
                                                                                   BRG01440
502
       FORMAT(30A1)
                                                                                   BRG01450
504
      FORMAT (F5.1)
                                                                                   BRG01460
505
      FORMAT(II)
                                                                                   3RG01470
      FORMAT( OTHIS PROGRAM DISPLAYS A HISTOGRAM OF BEARINGS IN FILE .
600
                                                                                   BRG01480
     A' DSRV OL')
                                                                                   BRG01490
      FORMAT('DENTER RADIDWAVE SOURCE (3041)')
FORMAT('IRADIDWAVE SOURCE: ',3041)
603
                                                                                   BRG01500
605
                                                                                   BRG01510
      FORMAT ( OENTER MAXIMUM A4 VALUE (F5.3) )
607
                                                                                   BRG01520
      FORMAT(//, '04444X: ', F5.3)
608
                                                                                   BRG01530
      FORMAT('DENTER A 1 FOR ANOTHER RUN, IF NOT, DIFFERENT INTEGER')
609
                                                                                   BRG01540
      FORMAT('OENTER PERMISSIBLE NUMBER OF SID (F5.3)')
610
                                                                                   BRG01550
                                                                                   BRG01560
       END
```

```
BRGHIS
                                                                                                                                                                       BRG01590
C THIS PROGRAM DISPLAYS A HISTOGRAM OF THE BEARINGS IN FILE DSRN 1.

C FILTERING IS DONE ON EACH RECORD ON THE 44 TERM.

C SCALING OF THE HISTOGRAM CAN BE SET BY THE JSER.

C LOGICAL*1 SOURCE(30)/30***/
DIMENSION BRGMAT(10000), SCALE(2)

C USE DSDSET FOR CP/CMS
CALL DSDSET(1,1600,2,16)
WRITE(10,600)
WRITE(10,600)
READ(5,502) SOURCE
WRITE(10,607)
READ(5,500) A4M4X
WRITE(10,601)
READ(5,504) SCALE(1)

BRG01750
   READ RECORDS, FILTER OUT HIGH 44 VALUES. PUT A4 ADMISSIBLE
VALUES IN LINEAR ARRAY BRGMAT.

DO 100 II=1,10000
READ(1,501,EN)=200) A4,NBR3
IF(A4.3T.A4MAX) GO TO 100
NVAL=NVAL+1
BRGMAT(NVAL)=NBRG
CONTINUE
WRITE(6,605) SDURCE

TERMINE HISTOGRAM SCALE AND THEN CREATE IT WITH HISTF.

CALL FIX(SCALE)
CALL FIX(SCALE)
CALL FIX(SCALE)
TORMAT(E5-3)
TORMAT(E5-3)
                                                                                                                                                                       BRG01750
                                                                                                                                                                       BRG01760
                                                                                                                                                                       BRG01770
                                                                                                                                                                       BPG01780
                                                                                                                                                                       BRG01790
                                                                                                                                                                     BRG01800
                                                                                                                                                                       BRG01810
                                                                                                                                                                       BRG01820
                                                                                                                                                                       BRG01830
                                                                                                                                                                       BRG01840
                                                                                                                                                                       BRG01850
                                                                                                                                                                       BRG01860
                                                                                                                                                                       BRG01870
 100
                                                                                                                                                                       B3G01880
    BRG01890
WRITE(6,605) SDURCE

DETERMINE HISTOGRAM SCALE AND THEN CREATE IT WITH HISTF.

CALL FIX(SCALE)
CALL HISTF(BRGMAT,NVAL,0)
STOP
BRG01960
BRG01960
                                                                                                                                                                       BRG01890
 200
 500
                                                                                                                                                                       BRG01970
 501
              FORMAT(8X,2A4)
                                                                                                                                                                       BRG01980
 502
              FORMAT(30A1)
                                                                                                                                                                       BRG01990
              FORMAT (F5.1)
                                                                                                                                                                       BRG02000
 504
              FORMAT( OTHIS PROGRAM DISPLAYS A HISTOGRAM OF BEARINGS IN FILE , BRG02010
 600
              FORMAT ('OENTER MINIMUM VALUE OF SCALE (F5.1)')

FORMAT ('OENTER MAXIMUM VALUE OF SCALE (F5.1)')

FORMAT ('OENTER RADIOWAVE SOURCE (3041)')

FORMAT ('////,'ORADIOWAVE SOURCE: ',3041)

BRG02060
 601
 602
 603
 605
```

```
TIME1
                                                                               BRG02110
                                                                               BRG02120
  THIS PROGRAM PLOTS THE AD, A4, BEARING AND PHASE MEASUREMENTS FROM
                                                                               BRG02130
  THE SWRI SPACED LOOP ANTENNA VERSUS TIME.
                                                                               BRG02140
CC
                                                                               BRG02150
                                                                               BRG02160
     LOGICAL*1 SOURCE(20), BRGARY(45), PHSARY(45), AOARY(20), A4ARY(20), ACB, CP, CAO, CAO, CS, CINVAL
                                                                               BRG02170
                                                                               BRG02180
      INTEGER *2 NBRG2
                                                                               BRG02190
      DATA BRGARY/45** 1/,PHSARY/45** 1/,ADARY/20** 1/,A4ARY/20** 1/,
                                                                               BRG02200
     ACB/'B'/, CP/'P'/, CAO/'O'/, CA4/'4'/, CS/' '/, CLR/'LR'/, CSR/'SR'/,
                                                                               BRG02210
     BCSA/'SA'/, CINVAL/'?'/
                                                                               BRG02220
      CALL DSDSET(1,1500,2,16)
                                                                               BRG02230
                                                                               BRG02240
  FOLLOWING DECLARATIONS REPRESENT THE RANGE OF VALUES EXPECTED FOR
                                                                               BRG02250
  THE BEARING, PHASE, AO AND A4 TERMS.
                                                                               BRG02260
                                                                               BRG02270
      AOMIN=0.0
                                                                               BRG02280
      AOMAX=2.0
                                                                               BRG02290
      A4MIN=0.0
                                                                               BRG02300
      A4MAX=1.0
                                                                               BRG02310
      NPMIN = -180
                                                                               BRG02320
      NPMAX=180
                                                                               BRG02330
      MBMIN=0
                                                                               BRG02340
      NBMAX = 3.60
                                                                               BRS02350
      WRITE(10,600)
                                                                               BRG02360
      WRITE(10,603)
                                                                               BRG02370
      READ(5,501) SOURCE
                                                                               BRG02380
206
      WRITE(10,604)
                                                                               BRG02390
      READ(5,502) NOUT
                                                                               BRG02400
                                                                               BRG02410
      ARRAY PARAMETERS MI, M2 AND M3 FOR EITHER PRT OR CON OUTPUT
                                                                               BRG02420
                                                                               BRG02430
      M1 = 45
                                                                               BRG02440
      42 = 20
                                                                               BRG02450
                                                                               BRG02460
      M3 = 20
      IF(NOUT.EQ.1) 30 TO 208
                                                                               BRG02470
      M1 = 24
                                                                               BRG02480
      M2 = 15
                                                                               BRG02490
      M3 = 10
                                                                               BRG02500
                                                                               BRG02510
  DETERMINE NUMBER OF RECORDS TO BE PLOTTED IN TERMS OF TIME.
                                                                               BRS02529
  ONE SECOND EQUALS FIFTY RECORDS.
                                                                               BRG02530
                                                                               BRG02540
      WRITE(10.601)
208
                                                                               BRG02550
      READ(5,500) NSTART
                                                                               PRG02560
      WRITE(10,602)
                                                                               BRG02570
      READ(5,500) NSTOP
                                                                               BRG02580
```

```
NADV = 0
                                                                               BRG02590
      IF(NSTART.EQ.)) GO TO 200
                                                                               BR G02600
      NADV= VSTART *5)
                                                                               PRG02610
                                                                               BRG02620
  READ FILE TO START POINT.
                                                                               33G02630
                                                                               BRG02640
      DO 100 I1=1,NADV
                                                                               BRG02650
      READ(1,503,EV)=205,ERR=204)
100
                                                                               BRG02660
      NHALT=VSTDP*50
200
                                                                               BRG02670
                                                                               BRG02680
  DETERMINE NUMBER OF RECORDS TO BE READ.
                                                                               BRG02690
                                                                               BRG02700
      NRUN=VIALT-NADV
                                                                               BRG02710
      IF(NRJN.LE.O) 33 TO 206
                                                                               BRG02720
                                                                               BRG02730
  PRINT THE DUTPUT LABEL.
                                                                               BRG02740
                                                                               BRG02750
      CALL LABEL(NOUT, SOURCE)
                                                                               BRG02760
                                                                               BRG02770
  READ THRU THE REQUESTED RECORDS.
                                                                               BRG02780
                                                                               BRG02790
      DO 101 I2=1, NRJN
                                                                               BRG02800
      READ(1,503,EN)=101,ERR=204) AO,NPHS,A4,SS,NBRG2
                                                                               BRG02810
      NBRG= VBRG2
                                                                               BRG02820
                                                                               BRG02830
 USE MAPE AND MAPI TO MAP DATA RECORD VALUES TO OUTPUT ARRAYS ADARY, PHSARY, A44RY AND BROARY. MAPE IS FOR FLOATING POINT AND
                                                                               BRG02840
                                                                               BRG02850
  MAPI IS FOR INTEGER MAPPING.
                                                                               BRG02860
                                                                               BRG02870
      CALL MAPF (AO, 1) MIN, AOMAX, M2, MA1)
                                                                               BRG02880
                                                                               BRG02890
      AOARY(MAI) = CAO
      CALL MAPI (NPHS, NPMIN, NPMAX, M1, MA2)
                                                                               BRG02900
      PHSARY (MAZ) =C2
                                                                               BRG02910
      CALL MAPF(A4, A4MIN, A4MAX, M3, MA3)
                                                                               BRG02920
      A4ARY(MA3)=CA4
                                                                               BRG02930
      CALL MAPI (NBRG, NBMIN, NBMAX, MI, MA4)
                                                                               PRG02940
      BRGARY(MA4) =C3
                                                                              33G02950
      IF(SS.EQ.CLR.JR.SS.EQ.CSR.JR.SS.EQ.CSA) GD TO 209
                                                                               BRG02960
      GO TO 210
                                                                               BRG02970
                                                                               BRG02980
 ? TO THE FIRST ELEMENT OF DUTPUT ARRAYS.
  IF LR, SR DR SA FLAGS ARE READ IN A RECORD, WRITE THE SYMBOL
                                                                               BRG02990
                                                                               BRG03000
                                                                               BRG03010
209
                                                                               BRG03020
      AOARY(1) = CIN/AL
      PHSARY(1) = CINVAL
                                                                               BRG03030
      A4ARY(1) = CINVAL
                                                                               BRG03040
      BRGARY(1) = CINVAL
                                                                               BRG03050
      IF(NDJT.EQ.1) 30 TO 202
210
                                                                               BRG03060
```

```
BRG03070
  THIS PATH, WRITE TO CRT.
                                                                                                  BRG03080
                                                                                                  BRG03090
      WRITE(8,605)((3RGARY(I),I=1,24),(PHSARY(I),I=1,24),
A(AOARY(I),I=1,15),(444RY(I),I=1,10))
GO TO 203
                                                                                                  BRG03100
                                                                                                  BR G03110
                                                                                                  BRG03120
C
C
C
202
                                                                                                  33G03130
  THIS PATH, WRITE TO PRINTER.
                                                                                                  BRG03140
                                                                                                  BRG03150
        WRITE(8,606) 3RGARY, PHSARY, AOARY, A4ARY
                                                                                                  BRG03160
203
        ADARY(MA1)=CS
                                                                                                   BRG03170
        PHSARY (MA2) =CS
                                                                                                  BRG03180
                                                                                                  BRG03190
        A4ARY(MA3)=CS
                                                                                                  8RG03200
        BRGARY (MA4) = CS
101
        CONTINUE
                                                                                                  BRG03210
C Q C 207
                                                                                                  BRG03220
  QUERY FOR ANOTHER RUN.
                                                                                                  BRG03230
                                                                                                  BRG03240
        WRITE(10,607)
                                                                                                  BRG03250
        READ(5,502) NRERUN
                                                                                                  BRG03260
        IF(NRERUN. NE.1) GO TO 204
                                                                                                  BRG03270
        NCLOSE = 10000-NHALT
                                                                                                  BRG03280
                                                                                                  BRG03290
      ANOTHER RUN, READ TO END OF FILE AND REWIND.
                                                                                                  BRG03300
                                                                                                  BRG03310
        DO 102 I3=1, VI_DSE
                                                                                                  BRG03320
        READ(1,503,EN)=205)
102
                                                                                                  BRG03330
        REWIND 1
                                                                                                  BRG03340
205
        GO TO 206
                                                                                                  BRG03350
                                                                                                  BRG03360
204
        STOP
      FORMAT('OTHIS POGRAM GRAPHS SWRI DATA VERSUS TIME')
FORMAT('OFILE CONSISTS OF 10000 RECORDS REPRESENTING 200 SECS.', BRG03380
A/, OENTER START TIME IN SECONDS (13):')
BRG03380
BRG03390
600
601
       FORMAT('DENTER STOP TIME IN SECONDS (I3) (200 MAX):')

FORMAT('DENTER SDURCE, FRED AND TIME:')

FORMAT('ODUTPUT TO PRINTER ENTER 1, TO CONSOLE, ENTER 2:')

FORMAT(1X, 2441, ***, 2441, ***, 1541, ***, 1041)

FORMAT(1X, 4541, ***, 4541, ***, 2041, 2041)
602
                                                                                                 BRG03400
603
                                                                                                 BRG03410
604
                                                                                                 BRG03420
                                                                                                 BRG03430
605
606
                                                                                                  BRG03440
        FORMAT( 'DENTER 1 FOR ANOTHER RUN, IF NOT, ENTER OTHER INTEGER: 1)
607
                                                                                                  BRG03450
500
        FORMAT(13)
                                                                                                  BRG03460
501
        FORMAT(20A1)
                                                                                                  BRG03470
502
        FORMAT(TI)
                                                                                                  BRG03480
       FORMAT(3A4, 2A2)
503
                                                                                                  BRG03490
        END
                                                                                                  BRG03500
                                                                                                  BRG03510
  THIS SUBROUTINE WRITES A LABEL TO A CRT OR A PRINTER.
                                                                                                 BRG03520
                                                                                                  BRG03530
        SUBROUTINE LABEL (NOUT, SOURCE)
                                                                                                  BRG03540
```

```
LOGICAL*1 SOURCE (20)
                                                                                                                                    BRG03550
          WRITE(3,600)
                                                                                                                                    BRG03560
          WRITE(8,601) SJURCE
                                                                                                                                   BRG03570
          IF(NJJT.EQ.1) 30 TO 200
                                                                                                                                   33G03580
          WRITE(8,602)
                                                                                                                                   BRG03590
          WRITE(8,603)
                                                                                                                                   BRG03600
           RETURN
                                                                                                                                    BRG03610
200
          WRITE(8,604)
                                                                                                                                   BRG03620
       WRITE(8,605)
RETURN
FORMAT('1',20X,'SWRI SPACED LOOP ANTENNA PARAMETERS',/,
A21X,'A0,PHASE,A4 AND BEARING VERSUS TIME',///)
FORMAT(21X,'RADIDWAVE SOURCE: ',20A1,//)
FORMAT(11X,'BEARING',19X,'PHASE',18X,'A0',11X,'A4',/,
A'00',20X,'360',2X,'-180',7X,'00',7X,'+180',2X,'0',
B13X,'2',2X,'0',8X,'1')
FORMAT(1X,79('*'),/,1X,79('*'))
FORMAT(18X,'BEARING',41X,'PHASE',33X,'A0',19X,'A4',/,
A'00',41X,'360',1X,'-180',37X,'+180','0',18X,'2',
B1X,'0',18X,'1')
FORMAT(1X,132('*'))
          WRITE(8,605)
RETURN
                                                                                                                                   BRG03630
                                                                                                                                   BRG03640
600
                                                                                                                                   BRG03650
                                                                                                                                   BRG03660
601
                                                                                                                                   BRG03670
602
                                                                                                                                   BRG03680
                                                                                                                                   BRG03690
                                                                                                                                   BRG03700
603
                                                                                                                                  BRG03710
604
                                                                                                                                  BRG03720
                                                                                                                                   BRG03730
                                                                                                                                   BRG03740
                                                                                                                                   BRG03750
605
          END
                                                                                                                                   BRG03760
  THIS SUBROJTINE MAPS A VARIABLE (VAR) WHICH LIES ON OR BETWEEN A MINIMUM VALUE (VARMIN) AND A MAXIMUM VALUE (VARMAX) TO AN ELEMENT (M2) OF AN ARRAY OF LENGTH (M1).

SUBROUTINE MAP=(VAR, VARMIN, VARMAX, M1, M2)
IF(VAR, GI, VARMAX) VAR=VARMAX
M2=INT(FLOAT(M1) # (VAR-VARMIN)/(VARMAX-VARMIN))+1
IF(M2, GI, M1) 42=M1
                                                                                                                                   BRG03770
                                                                                                                                   BRG03780
                                                                                                                                  BRG03790
                                                                                                                                   BRG03800
                                                                                                                                   BRG03810
                                                                                                                                   BRG03820
                                                                                                                                   BRG03830
                                                                                                                                   BRG03840
                                                                                                                                   BRG03850
          RETURN
                                                                                                                                   BRG03860
          END
                                                                                                                                   BRG03870
                                                                                                                                   BRG03880
   THIS SUBROJTINE IS AN INTEGER VERSION OF THE ABOVE ROUTINE MAPF.
                                                                                                                                   BRG 03890
                                                                                                                                   BRG03900
          SUBROJTINE MAPI(N, NMIN, NMAX, M1, M2)
                                                                                                                                   BRG03910
          M2=IVT(FLOAT(V1)*FLOAT(N-VVIN)/FLOAT(NVAX-NMIN))+1
IF(M2-3T-M1) V2=M1
RETURN
          IF(N.ST.NMAX) N=NMAX
                                                                                                                                   BRG03920
                                                                                                                                   BRG03930
                                                                                                                                   BRG03940
                                                                                                                                   33G03950
          END
                                                                                                                                   BRG03960
```

REFERENCES

- 1. Davies.K. Ionospheric Radio Propagation.

 National Bureau of Standards Monograph 80. 1965
- 2. IEEE Transactions Antennas and Propagation
- 3. Journal of Atmospheric and Terrestrial Physics
- 4. Radio Science, U.S. National Bureau of Standards
- 5. Ross.W. "Fundamental Problems in Radio Direction-Finding High Frequencies". Journal IEE 1947, St. PtIIIA.p154
- Gething, P.J.D., Padio Direction-Finding.
 chapter 3. Peter Peregrinus Ltd., London, 1978
- 7. Balser.M. and Smith, W.B., "Some Statistical Properties of Oblique HF Ionospheric Transmissions." Journal of Resear National Bureau of Standards 36D. pp.721-738. 1962.
- 8. Bain.W.C. "On the Rapidity of Fluctuations in Continuous Radio Bearings at High Frequencies". Proceedings IEE Part B. 122. Oct. 1955. pp.541-543

- 9. Hipp.J.E., Rosenburg.J.S., Guion. v.G. and Green.T.C.

 Skywave Direction Finding Using a Fixed Crossed Spaced L

 Array. Final Report SVRI Project 16-4191 19 November 19
- 10. Kraus, J.D. Antennas p. 67 McGraw-Hill 1950
- 11. Green. T. Soutowest Pesearch Institute, internal memo
- 12. Guttrich, F.L. "Measurements on the Polarization Facing of HF Signals". Mitre Corporation. Ponject 7830 June 1973
- 13. Rose.R. "Estimated HFDF Propagation Error Based Upon the the Operating Frequency in the Propagating Bandwidtn". Note 182 17 June 1977

INITIAL DISTRIBUTION LIST

	. c A	Copies
1.	Library. Code 0142 Naval Postgraduate School Monterey, California 93940	2
2.	Department Chairman, Code 62 Department of Electrical Engineering Naval Postgraduate School Monterey, California 93940	1
3.	Assoc. Professor S. Jauregui, Jr., Code 62Ja Department of Electrical Engineering Naval Postgraduate School Monterey, California 93940	5
4.	Assoc. Professor J. Knorr, Code 62Kn Department of Electrical Engineering Naval Postgraduate School Monterey, California 93940	1
5.	LCDR Dennis D. Sheppard. USN 10024 Emmet Street Cmaha. Nebraska 68134	1
6.	Southwest Pesearch Institute P.O. Drawer 29510 6220 Culebra Road San Antonio, Teyas 78284 Attn: Mr. D. Travers	1
7.	Commander, Naval Security Group Command Naval Security Group Command Headquarters 3801 Nebraska Avenue, N.W. Washington, D.C. 20360 Attn: (380) CDR. R. Shields	Ö
٤.	Commander. Naval Electronics Systems Command Naval Electronics Systems Command Headquarters Washington, D.C. 20360 Attn: PME 127, CAPT H. Leavitt	1
٥.	Commander, Naval Electronics Systems Command Naval Electronics Systems Command Headquarters Washington. D.C. 20360 Attn: PME 107-5. Mr. F. Lebert	3

10.	Commander, Naval Flectronics System Command Naval Electronics Systems Command Headquarters washington. D.C. 20360 Attn: PME 107-6. CDF H. Orjuela	1
11.	Director, National Security Agency Fort George G. Meade. Maryland 20755 Attn: Mr. J. Boone (DDR)	1
12.	Director, National Security Agency Fort George G. Meade, Maryland 20755 Attn: CAPT R. Young (F2)	1
13.	Naval Ocean Systems Center San Diego. California 92152 Attn: Mr. P. Pose Code 5321	1
14.	Office of Pesearch Administration. Gode Ø12A Naval Postgraduate School Monterey, California 93942	1
15.	Defense Technical Information Center Cameron Station Alexandria. Virginia 22314	2